TE Internal #: 3-487937-4

FFC Connectors, Housing, Wire-to-Board, 34 Position, 1.27 mm [.05

in] Centerline, 2 Row, Socket, Package, Mating Retention, Normal,

Mating Alignment

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > FFC, FPC & Ribbon Connectors > FFC Connectors > FFC Receptacle Housing: 1.27mm



FFC Connector Product Type: Housing

Connector System: Wire-to-Board

Number of Positions: 34

Centerline (Pitch): 1.27 mm [ .05 in ]

Number of Rows: 2

All FFC Receptacle Housing: 1.27mm (52)

### **Features**

### **Product Type Features**

Connector & Housing Type	Receptacle
FFC Connector Product Type	Housing
Connector System	Wire-to-Board
Connector & Contact Terminates To	Wire & Cable
Insertion Force Type	Normal
Configuration Features	
Number of Positions	34
Number of Rows	2
Electrical Characteristics	
Dielectric Withstanding Voltage (Max)	300 VAC
Insulation Resistance	5000 ΜΩ
Operating Voltage	100 VAC
Body Features	

Black

Socket

Primary Product Color

**Contact Features** 

Contact Type



Polarization
Latch
With
With
Without
Cable Mount (Free-Hanging)
Polyester
1.27 mm[.05 in]
Straight
2.54 mm[.1 in]
-55 – 105 °C[-67 – 221 °F]
Signal
UL 94V-0
UL 94V-0
UL 94V-0 300

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC



#### Free

### Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**





TE Part # 1-104068-3 34 SYSTEM 50 HDR DRST SHRD



TE Part # 6-104069-4
34 sys 50 hdr drra shrd sn



TE Part # 6-104068-3 34 SYSTEM 50 HDR DRST SHRD










# Customers Also Bought



























### **Documents**

### **Product Drawings**

034 HOUSING FFC 50CL DR LATCH

English

### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_3-487937-4\_R.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_3-487937-4\_R.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_3-487937-4\_R.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

### Datasheets & Catalog Pages

AMPMODU\_INTERCONNECTION\_SYSTEM\_SECTION3AND4

English

### **Product Specifications**

**Application Specification** 

English