# BACA-AMP-158 <

### AMP-IN

TE Internal #: 3-640663-1 PCB Terminals, PCB Pin, PCB Hole Diameter 1.4 mm [.055 in], 26 – 22 AWG Wire Size, .12 – .4 mm<sup>2</sup> Wire Size, Through Hole - Solder, Pre-Tin Plating, Box

#### View on TE.com >

Terminals & Splices > PCB Terminals



PCB Terminal Type: PCB Pin
PCB Thickness (Recommended): 1.57 mm [.062 in ]
PCB Hole Diameter: 1.4 mm [.055 in ]
Profile Height from PCB: 1.35 mm [.053 in ]
Compatible Insulation Diameter (Max): 1.78 mm [.07 in ]

## Features



### Product Type Features

Terminal Features	Stud Hole			
Contact Features				
Terminal Plating Finish	Bright			
Contact Mating Area Plating Material Thickness	5.08 μm[200 μin]			
PCB Terminal Type	PCB Pin			
Terminal Plating Material	Pre-Tin			
Terminal Size	Miniature			
Terminal Orientation	Straight			
Termination Features				
Termination Method to Printed Circuit Board	Through Hole - Solder			
Product Terminates To	Printed Circuit Board			
Mechanical Attachment				
Wire Insulation Support	With			

### BACA-AMP-158

PCB Terminals, PCB Pin, PCB Hole Diameter 1.4 mm [.055 in], 26 – 22 AWG Wire Size, .12 – .4 mm<sup>2</sup> Wire Size, Through Hole - Solder, Pre-Tin Plating, Box



### Dimensions

Extension Below Board	3.43 mm[.135 in]	
PCB Thickness (Recommended)	1.57 mm[.062 in]	
PCB Hole Diameter	1.4 mm[.055 in]	
Profile Height from PCB	1.35 mm[.053 in]	
Compatible Insulation Diameter (Max)	1.78 mm[.07 in]	
Compatible Insulation Diameter Range	1.02 – 1.78 mm[.04 – .07 in]	
Wire Size	.12 – .4 mm²	
Usage Conditions		
Insulation Option	Uninsulated	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]	
Packaging Features		
Packaging Quantity	10000	
Packaging Method	Box	
Other		
Terminals & Splices Comment	Machine applied applicator required., No hand tools available., Not available in loose piece.	

## Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant		
EU ELV Directive 2000/53/EC	Compliant		
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold		
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC		
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free		
Solder Process Capability	Wave solder capable to 265°C		
Product Compliance Disclaimer			

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as

### BACA-AMP-158

PCB Terminals, PCB Pin, PCB Hole Diameter 1.4 mm [.055 in], 26 – 22 AWG Wire Size, .12 – .4 mm<sup>2</sup> Wire Size, Through Hole - Solder, Pre-Tin Plating, Box



EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**





TE Part # 2836262-2

TE Part # 7-2836262-1

TE Part # 7-2836262-2

KIT REPRESENTATION

TE Part # 7-2836262-7

OCEAN_2.0_Applicator-S-O42F070OV	OCEAN_2.0_Applicator-S-O42F070OV	OCEAN_2.0_Applicator-S-O42F070OV	OCEAN_2.0_SPARE_PART_KIT- O42F070OV
<b>计可可可可可可可可可可可可</b> 可可可可			
= TE			
TE Part # 172020-1 13P MINI AMPIN HEADER HSG			


## Customers Also Bought



### BACA-AMP-158

PCB Terminals, PCB Pin, PCB Hole Diameter 1.4 mm [.055 in], 26 – 22 AWG Wire Size, .12 – .4 mm<sup>2</sup> Wire Size, Through Hole - Solder, Pre-Tin Plating, Box





### Documents

### Product Drawings MINI AMP-IN 26-22 PTPHBZ

English

#### **CAD** Files

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_3-640663-1\_W.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_3-640663-1\_W.3d\_igs.zip

English

Customer View Model

### ENG\_CVM\_CVM\_3-640663-1\_W.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages PRINTED CIRCUIT BOARD TERMINALS AND DISCONNECTS

English

**Product Specifications** 

**Application Specification** 

English

Product Environmental Compliance MD\_3-640663-1\_04012015239\_dmtec

English

MD\_3-640663-1\_04012015239\_dmtec

English