

MAG-MATE

TE Internal #: 316300-6

Magnet Wire Terminals, Poke-In, Mating Tab Width .187 in [4.75 mm], Size 1, Lead Wire Size 20 – 18 AWG, Lead Wire Size .5 – .8

mm², MAG-MATE

View on TE.com >



Terminals & Splices > Magnet Wire Terminals











Magnet Wire Terminal Type: Poke-In
Mating Tab Width: 4.75 mm [.187 in]
Mating Tab Thickness: .5 mm [.02 in]
Compatible With Cavity Size: Size 1
Lead Wire Size: 20 – 18 AWG

Features

Product Type Features

Compatible With Discrete Wire Type	Magnet Wire, Solid
Configuration Features	
Strip Orientation	Side Feed
Body Features	
Compatible With Cavity Size	Size 1
Contact Features	
Magnet Wire Terminal Type	Poke-In
Mating Tab Width	4.75 mm[.187 in]
Mating Tab Thickness	.5 mm[.02 in]
Terminal Plating Material	Tin
Contact Underplating Material	Nickel
Terminal Orientation	Straight
Termination Features	



Termination Method to Wire & Cable	Insulation Displacement (IDC)
Mechanical Attachment	
Mating Retention Type	Hole
Dimensions	
Terminal Height	7.62 mm[.3 in]
Lead Wire Size	$.58 \text{ mm}^2$
Magnet Wire Size	.9 – 1.15 mm
Stock Thickness (Magnet Wire Side)	.41 mm[.016 in]
Product Length	27.75 mm[1.029 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-20 - 105 °C[-4 - 221 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
Identification Marking	
Identification Number	24
Packaging Features	
Packaging Quantity	8000
Packaging Method	Reel, Reel/Carton

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





















Also in the Series | MAG-MATE










Magnet Wire Terminals(435)



Customers Also Bought

Documents

Product Drawings

STD MAG-MATE .187 POKE-IN TAB

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_316300-6_N_c-316300-6-n.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_316300-6_N_c-316300-6-n.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_316300-6_N_c-316300-6-n.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Magnet Wire Terminals & Splices

English

Product Specifications

Application Specification

English

STD MAG-MATE Poke-in with 187 Tab Terminal

English

Product Environmental Compliance

MD_316300-6_02252014026_dmtec

English

MD_316300-6_02252014026_dmtec

English

Magnet Wire Terminals, Poke-In, Mating Tab Width .187 in [4.75 mm], Size 1, Lead Wire Size 20 – 18 AWG, Lead Wire Size .5 – .8 mm², MAG-MATE



Agency Approvals

UL Report

English