

### SOLISTRAND

TE Internal #: 322215 Closed Ring Tongue Terminal, 0 AWG, 1/4 / M6 Stud Size, 6.73 mm [.265 in] Stud Diameter, Closed Barrel, Flag, Tin, Uninsulated

# View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 83700 – 119500 CMA

Stud Size: 1/4, M6

# Features

# Product Type Features

Ring Terminal Product Type

Closed Ring Tongue Terminal



Stud Size	1/4, M6					
Sealable	No					
Wire Insulation Support Retention Type	Non-Insulation Support					
Configuration Features						
Number of Holes	1					
Body Features						
Product Weight	26.089 g					
Contact Features						
Barrel Type	Closed					
Terminal Orientation	Flag					
Terminal Plating Material	Tin					
Mechanical Attachment						
Wire Insulation Support	Without					
Dimensions						

**C** For support call+1 800 522 6752

# 322215

Closed Ring Tongue Terminal, 0 AWG, 1/4 / M6 Stud Size, 6.73 mm [.265 in] Stud Diameter, Closed Barrel, Flag, Tin, Uninsulated



Wire Size	83700 – 119500 CMA				
Stud Diameter	6.73 mm[.265 in]				
Tongue Thickness	.79 mm[.031 in]				
Product Length	44.04 mm[1.733 in]				
Barrel Inside Diameter	11.28 mm[.444 in]				
Usage Conditions					
Insulation Option	Uninsulated				
Operating Temperature Range	170 °C[338 °F]				
Operation/Application					
Compatible With Wire Base Material	Copper				
Compatible With Wire Plating Material	Tin				
Industry Standards					
Government Qualified Terminal	No				
Packaging Features					
Packaging Quantity	50				
Packaging Method	Box				

# Product Compliance

#### For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Solder Process Capability	Not applicable for solder process capability	

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these


# 322215

Closed Ring Tongue Terminal, 0 AWG, 1/4 / M6 Stud Size, 6.73 mm [.265 in] Stud Diameter, Closed Barrel, Flag, Tin, Uninsulated



limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



# Customers Also Bought



TE Part #3371890001 ES-CAP-NO.1-C1-0-30MM	TE Part #160927-4 FF 250 REC 1.0-2.5MM2 TPPB	TE Part #346027-1 FASTIN FASTON HOUSING RECEPTACLE	TE Part #184070-1 TERMINAL,SOLIS R 1/0 10MM
TE Part #183035-1 MINI MIC RCPT CONT.ACT.LP	TE Part #DTM06-12SB-E003 PLG, 12P, BLK, N, CAP, B	TE Part #1326032-4 2.8MM RECP,SEAL,16AWG	TE Part #DT16-18SA-K004 PLG, 18P, BLK, E, A

TE Part #EH9185-000 D09-1-BT-06-1-C-T-FSK

# Documents

### 322215

Closed Ring Tongue Terminal, 0 AWG, 1/4 / M6 Stud Size, 6.73 mm [.265 in] Stud Diameter, Closed Barrel, Flag, Tin, Uninsulated



**Product Drawings** TERMINAL, SOLIS FLAG R 1/0 1/4 English **CAD** Files 3D PDF Customer View Model ENG\_CVM\_CVM\_322215\_U.2d\_dxf.zip English Customer View Model ENG\_CVM\_CVM\_322215\_U.3d\_igs.zip English Customer View Model ENG\_CVM\_CVM\_322215\_U.3d\_stp.zip English By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Agency Approvals

UL Report

English

3D

**UL Report** 

English

**UL Report** 

English