

SOLISTRAND

TE Internal #: 322733 Closed Ring Tongue Terminal, 16 – 14 AWG, 1/4 / M6 Stud Size, 6.73 mm [.265 in] Stud Diameter, Closed Barrel, Straight, Nickel, Uninsulated

View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal


Wire Size: 2050 – 5180 CMA

Stud Size: 1/4, M6

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	1/4, M6
Sealable	No
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Number of Holes	2
Body Features	
Product Weight	1.169 g
Contact Features	
Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Nickel
Mechanical Attachment	
Wire Insulation Support	Without
Dimensions	





322733

Closed Ring Tongue Terminal, 16 – 14 AWG, 1/4 / M6 Stud Size, 6.73 mm [.265 in] Stud Diameter, Closed Barrel, Straight, Nickel, Uninsulated



Wire Size	2050 – 5180 CMA			
Stud Diameter	6.73 mm[.265 in]			
Tongue Thickness	.79 mm[.031 in]			
Product Length	21.72 mm[.855 in]			
Barrel Inside Diameter	2.16 mm[.085 in]			
Usage Conditions				
Insulation Option	Uninsulated			
Operating Temperature Range	343 °C[649 °F]			
Industry Standards				
Government Qualified Terminal	No			
Packaging Features				
Packaging Quantity	1000			
Packaging Method	Loose Piece			
Product Compliance				
For compliance documentation, visit the product page on TE.com>				

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on

322733

Closed Ring Tongue Terminal, 16 – 14 AWG, 1/4 / M6 Stud Size, 6.73 mm [.265 in] Stud Diameter, Closed Barrel, Straight, Nickel, Uninsulated



requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts



Customers Also Bought



TE Part #9-6609971-5 F7881B=RFI FILTER,3PH,Index, 36BCD10	TE Part #806698N007 202A142-25-0	TE Part #4-1768394-4 LBF-366449A	TE Part #8-1768059-6 LBF-U111210K

TE Part #PKA002M0487050A000
917 SINGLETEC EXTENSION

Documents

Product Drawings TERMINAL, SOLIS R HR 16-14 1/4

English

322733

Closed Ring Tongue Terminal, 16 – 14 AWG, 1/4 / M6 Stud Size, 6.73 mm [.265 in] Stud Diameter, Closed Barrel, Straight, Nickel, Uninsulated



CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_322733_M.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_322733_M.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_322733_M.3d_stp.zip

English

Customer View Model

ENG_CVM_322733_C.3d_igs.zip

English

Customer View Model

ENG_CVM_322733_C.3d_stp.zip

English

Customer View Model

ENG_CVM_322733_C.2d_dxf.zip

English

3D PDF

English

loading the CAD file I accept a

Datasheets & Catalog Pages STRATO-THERM Terminals & Splices for High Temperature Applications

English

Product Specifications Product Specification

English

Product Environmental Compliance MD_322733_101520172224_dmtec

English

MD_322733_101520172224_dmtec

English