


TERMINYL

TE Internal #: 324057

Closed Ring Tongue Terminal, 0 AWG, 3/8 Stud Size, 9.91 mm [.39 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated

View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 83700 – 119500 CMA

Stud Size: 3/8

Features

Product Type Features

Ring Terminal Product Type

Closed Ring Tongue Terminal



Stud Size	3/8			
Sealable	No			
Wire Insulation Support Retention Type	Insulation Support			
Configuration Features				
Number of Holes	1			
Body Features				
Product Weight	26.935 g			
Insulation Sleeve Color	Blue			
Stripe Color	Blue			
Contact Features				
Barrel Type	Closed			
Terminal Orientation	Straight			
Terminal Plating Material	Tin			
Mechanical Attachment				
Wire Insulation Support	With			

C For support call+1 800 522 6752

324057

Closed Ring Tongue Terminal, 0 AWG, 3/8 Stud Size, 9.91 mm [.39 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated



Dimensions

Wire Size	83700 – 119500 CMA			
Stud Diameter	9.91 mm[.39 in]			
Tongue Thickness	.79 mm[.031 in]			
Product Length	61.62 mm[2.426 in]			
Compatible Insulation Diameter (Max)	14.73 mm[.56 in]			
Compatible Insulation Diameter Range	14.73 mm[.58 in]			
Usage Conditions				
Insulation Option	Partially Insulated			
Operating Temperature Range	105 °C[221 °F]			
Operation/Application				
Compatible With Wire Base Material	Copper			
Compatible With Wire Plating Material	Tin			
Industry Standards				
Government Qualified Terminal	No			
Packaging Features				
Packaging Quantity				

 0.01			ICICY	
	\mathbf{J}	\mathcal{I}		

Packaging Method

Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC
	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

324057

Closed Ring Tongue Terminal, 0 AWG, 3/8 Stud Size, 9.91 mm [.39 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought



Documents

Product Drawings TERMINAL,T-N R 1/0 3/8

English

CAD Files 3D PDF

324057

Closed Ring Tongue Terminal, 0 AWG, 3/8 Stud Size, 9.91 mm [.39 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated



3D

Customer View Model ENG_CVM_CVM_324057_V.2d_dxf.zip English **Customer View Model** ENG_CVM_CVM_324057_V.3d_igs.zip English **Customer View Model** ENG_CVM_CVM_324057_V.3d_stp.zip English 3D PDF English Customer View Model ENG_CVM_324057_N.3d_igs.zip English **Customer View Model** ENG_CVM_324057_N.3d_stp.zip English **Customer View Model** ENG_CVM_324057_N.2d_dxf.zip English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

RADIATION_RESISTANT_PRE-INSULATED_TERMINALS_SPLICES

English

Standard Terminals & Splices

English