


PIDG

TE Internal #: 32441 Closed Ring Tongue Terminal, 16 – 14 AWG, #4 / M2.5 Stud Size, 3 mm [.118 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG

View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 2050 – 5180 CMA

Stud Size: #4, M2.5

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal				
Stud Size	#4, M2.5				
Sealable	No				
Wire Insulation Support Retention Type	Insulation Support				
Configuration Features					
Number of Holes	1				
Electrical Characteristics					
Voltage Rating	300 V				
Body Features					
Product Weight	.94 g				
Insulation Sleeve Color	Blue				
Stripe Color	Blue				
Contact Features					
Barrel Type	Closed				
Terminal Orientation	Straight				



32441

Closed Ring Tongue Terminal, 16 – 14 AWG, #4 / M2.5 Stud Size, 3 mm [.118 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



	一 .				
Terminal Plating Material	Tin				
Mechanical Attachment					
Wire Insulation Support	With				
Dimensions					
Wire Size	2050 – 5180 CMA				
Stud Diameter	3 mm[.118 in]				
Tongue Thickness	1.02 mm[.04 in]				
Product Length	17.85 mm[.703 in]				
Compatible Insulation Diameter (Max)	4.32 mm[.17 in]				
Compatible Insulation Diameter Range	2.92 – 4.31 mm[.115 – .17 in]				
Usage Conditions					
Insulation Option	Partially Insulated				
Operating Temperature Range	105 °C[221 °F]				
Operation/Application					
Compatible With Wire Base Material	Copper				
Compatible With Wire Plating Material	Tin				
Industry Standards					

Industry Standards

Government Qualified Terminal	No
Packaging Features	
Packaging Quantity	1000
Packaging Method	Bag
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.

C For support call+1 800 522 6752

Closed Ring Tongue Terminal, 16 – 14 AWG, #4 / M2.5 Stud Size, 3 mm [.118 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG




Solder Process Capability


Not applicable for solder process capability


Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach


Compatible Parts











32441

Closed Ring Tongue Terminal, 16 – 14 AWG, #4 / M2.5 Stud Size, 3 mm [.118 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG







Also in the Series | PIDG



	4		
Knife Disconnects(11)	PCB Terminals(7)	Quick Disconnects(49)	Ring Terminals(611)



Customers Also Bought



32441

Closed Ring Tongue Terminal, 16 – 14 AWG, #4 / M2.5 Stud Size, 3 mm [.118 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG





Documents

Product Drawings TERMINAL,PIDG R 16-14 4

English

CAD Files

Customer View Model ENG_CVM_CVM_32441_T.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_32441_T.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_32441_T.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Agency Approvals

UL Report

English

UL Report

English