


TE Internal #: 324486

Splices, Closed End Splice, Copper, Blue, Length .515 in [13.08 mm], Loose Piece, Closed, Stranded / Solid Wire, Discrete Wire, Fully Insulated

View on TE.com >



Terminals & Splices > Splices



Sealable: No

Contact Base Material: Copper

Primary Product Color: Blue

Splice Type: Closed End Splice

Terminal Material Thickness: .51 mm [.02 in]

Features

Product Type Features

Splice Accessory Type	Wire Cap
Sealable	No
Splice Type	Closed End Splice
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Non-Insulation Support
Configuration Features	
Compatible With Wire & Cable Type	Discrete Wire
Body Features	
Insulation Material	Nylon
Primary Product Color	Blue
Contact Features	
Contact Base Material	Copper
Barrel Type	Closed
Mechanical Attachment	

C For support call+1 800 522 6752

324486

Splices, Closed End Splice, Copper, Blue, Length .515 in [13.08 mm], Loose Piece, Closed, Stranded / Solid Wire, Discrete Wire, Fully Insulated



Wire Insulation Support	Without
Dimensions	
Outside Diameter	5.89 mm[.232 in]
Terminal Material Thickness	.51 mm[.02 in]
Product Length	13.08 mm[.515 in]
Jsage Conditions	
Insulation Option	Fully Insulated
Operating Temperature Range	105 °C[221 °F]
ndustry Standards	
Government Qualified Splice	No
Packaging Features	
Packaging Quantity	1000
Packaging Method	Loose Piece

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on

324486

Splices, Closed End Splice, Copper, Blue, Length .515 in [13.08 mm], Loose Piece, Closed, Stranded / Solid Wire, Discrete Wire, Fully Insulated



requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts



Customers Also Bought





TE Part #A14474-000 HX-SCE-4.8-50-S1-4

Documents

Product Drawings SPARE WIRE CAP, BLU .120-.145 INS.

English

324486

Splices, Closed End Splice, Copper, Blue, Length .515 in [13.08 mm], Loose Piece, Closed, Stranded / Solid Wire, Discrete Wire, Fully Insulated



CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_324486_K.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_324486_K.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_324486_K.3d_stp.zip

English

Customer View Model

ENG_CVM_324486_N.3d_igs.zip

English

Customer View Model

ENG_CVM_324486_N.3d_stp.zip

English

Customer View Model

ENG_CVM_324486_N.2d_dxf.zip

English

3D PDF

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English

Agency Approvals CSA Certificate

English