

324543 ✓ ACTIVE



PIDG


TE Internal #: 324543

Crimp Wire Pins, Tabs & Ferrules, Tab, Mating Tab Width .125 in [3.18 mm], Mating Tab Thickness 1.07 mm [.042 in], 12 – 10 AWG

Wire Size, PIDG

[View on TE.com >](#)

Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules > PIDG Pre-Insulated Diamond Grip Tabs



Crimp Wire Terminal Type: **Tab**

Mating Tab Width: **3.18 mm [.125 in]**

Mating Tab Thickness: **1.07 mm [.042 in]**

Compatible Insulation Diameter Range: **3.81 – 5.84 mm [.15 – .23 in, .23 in]**

Wire Size: **12 – 10 AWG**

[All PIDG Pre-Insulated Diamond Grip Tabs \(8\)](#)

Features

Product Type Features

Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Body Features

Insulation Material	Nylon
Primary Product Color	Yellow

Contact Features

Crimp Wire Terminal Type	Tab
Mating Tab Width	3.18 mm[.125 in]
Mating Tab Thickness	1.07 mm[.042 in]



Barrel Type	Closed
-------------	--------

Terminal Plating Material	Tin
---------------------------	-----

Terminal Orientation	Straight
----------------------	----------

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Compatible Insulation Diameter Range	3.81 – 5.84 mm [.15 – .23 in] [.23 in]
--------------------------------------	--

Wire Size	5180 – 13100 CMA
-----------	------------------

Barrel Inside Diameter	6.4 mm [.253 in]
------------------------	------------------

Terminal Material Thickness	1 mm [.04 in]
-----------------------------	---------------

Overall Product Length	30.33 mm [1.194 in]
------------------------	---------------------

Usage Conditions

Insulation Option	Partially Insulated
-------------------	---------------------

Operating Temperature Range	105 °C [221 °F]
-----------------------------	-----------------

Packaging Features

Packaging Method	Loose Piece
------------------	-------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
--	---

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---


Solder Process Capability	Not applicable for solder process capability
---------------------------	--

Product Compliance Disclaimer












This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these

limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>









Compatible Parts



Also in the Series | **PIDG**

			
Compression Connectors(17)	Crimp Terminal Housings(1)	Crimp Wire Pins, Tabs & Ferrules(41)	Hand Crimping Tools(2)
			
Knife Disconnects(11)	PCB Terminals(7)	Quick Disconnects(49)	Ring Terminals(611)
			
Spade Terminals(233)	Special Purpose Terminals(1)	Splices(46)	

Customers Also Bought

			
TE Part #52943 PIDG Short Spring Spade Tongue Terminals	TE Part #34294 TAB,PIDG 22-16	TE Part #211149-1 PIN HSG,25 POSN,METRIMATE	TE Part #1-1419106-9 27E487=SOCKET,K10,8,SCW,PHEN,G
			
TE Part #1-350777-9 02P UMNL V0 PLUG HSG BLACK	TE Part #5053292059 RNF-100-1-0-STK	TE Part #201568-1 CONTACT SOCKET ASSY.	TE Part #42822-4 250 FASTON TAB TPBR



Documents

Product Drawings

[TAB,PIDG 12-10](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_324543_E.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_324543_E.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_324543_E.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

English

Product Environmental Compliance

[TE Material Declaration](#)

English

Agency Approvals

[UL Report](#)

English