

TE Internal #: 328890

Splices, Closed End Splice, 22 – 16 AWG Wire Size, .3 – 1.42 mm² Wire Size, .108 in [2.74 mm] Barrel Inside Diameter, 3.248 – 4.872 kcmil Wire Size

View on TE.com >

Terminals & Splices > Splices



Wire Size: .3 – 1.42 mm²

Sealable: No

Compatible Insulation Diameter Range: 6.73 mm [.265 in]

Barrel Inside Diameter: 2.74 mm [.108 in]

Features

Product Type Features



Splice Accessory Type	Splice
Sealable	No
Splice Type	Closed End Splice
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Compatible With Wire & Cable Type	Discrete Wire
Body Features	
Insulation Material	PVC
Contact Features	
Terminal Plating Material	Tin
Contact Base Material	Steel
Barrel Type	Closed
Mechanical Attachment	
Wire Insulation Support	With

C For support call+1 800 522 6752

328890

Splices, Closed End Splice, 22 – 16 AWG Wire Size, .3 – 1.42 mm² Wire Size, .108 in [2.74 mm] Barrel Inside Diameter, 3.248 – 4.872 kcmil Wire Size



Dimensions

Recovered Inside Diameter	3.79 mm[.149 in]
Outside Diameter	6.35 mm[.25 in]
Wire Size	3248 – 4872 CMA
Compatible Insulation Diameter Range	6.73 mm[.265 in]
Barrel Inside Diameter	2.74 mm[.108 in]
Terminal Material Thickness	.69 mm[.027 in]
Product Length	25.4 mm[1 in]
Usage Conditions	
Insulation Option	Fully Insulated
Operating Temperature Range	105 °C[221 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
Identification Marking	
Splice Marking	ECV
Industry Standards	

Packaging Features

Packaging Quantity	500
Packaging Method	Loose Piece
Other	
Terminals & Splices Comment	ECV-600V Max. Building Wiring. 1000V Max. Fixtures & Signs, 105°C UL, 90°C CSA.
Product Compliance For compliance documentation, visit the product page on TE.com>	

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC

328890

Splices, Closed End Splice, 22 – 16 AWG Wire Size, .3 – 1.42 mm² Wire Size, .108 in [2.74 mm] Barrel Inside Diameter, 3.248 – 4.872 kcmil Wire Size



Halogen Content

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought



328890

Splices, Closed End Splice, 22 – 16 AWG Wire Size, .3 – 1.42 mm² Wire Size, .108 in [2.74 mm] Barrel Inside Diameter, 3.248 – 4.872 kcmil Wire Size



TE Part #1825069-2 C23204 CAP RED

Documents

Product Drawings SPLICE,CE 22-16

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_328890_Z.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_328890_Z.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_328890_Z.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals Agency Approval Document

English