

329656 ✓ ACTIVE



### TERMI-FOIL

TE Internal #: 329656

Foil Terminals, Tin Plating, Box, 12 – 10 AWG Wire Size, 3.3 – 5.26 mm<sup>2</sup> Wire Size, 150 °C [302 °F], TERMI-FOIL

[View on TE.com >](#)

Terminals & Splices > Foil Terminals



Accepts Foil Thickness (Max): .79 mm [ .031 in ]

Terminal Plating Material: Tin

Packaging Method: Box

Wire Size: 3.3 – 5.26 mm<sup>2</sup>

### Features

#### Contact Features

Terminal Plating Material	Tin
---------------------------	-----

#### Termination Features

Accepts Foil Thickness (Max)	.79 mm [.031 in]
------------------------------	------------------

#### Dimensions

Wire Size	3.3 – 5.26 mm <sup>2</sup>
-----------	----------------------------

#### Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Operating Temperature Range	150 °C [302 °F]
-----------------------------	-----------------

#### Packaging Features

Packaging Quantity	1000
--------------------	------

Packaging Method	Box
------------------	-----

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



## Also in the Series | TERMI-FOIL



## Customers Also Bought



TE Part #1609133-2  
6ESRFC3=F6987



TE Part #1-6609032-8  
20VR1=F7210 S0



TE Part #6-1393114-9  
KUHP-11A51-120=KU



TE Part #7-1393114-1  
KUHP-11A51-240=KU



TE Part #323672  
SPLICE,SOLIS PARA HT 12-10



TE Part #322347  
SPLICE,SOLIS PARA HT 16-14



TE Part #6-103639-9  
20 MTE HDR SRST LATCH .100CL



TE Part #8-34072-1  
SPLICE,PG BUTT 12-10



TE Part #2-1423159-6  
7012PD=RLY,STD,ON,2P,125VDC,50

## Documents

### Product Drawings

[SPLICE,TERMI-FOIL DBL FACE](#)

English

### CAD Files

Customer View Model

[ENG\\_CVM\\_329656\\_G.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_329656\\_G.3d\\_stp.zip](#)

English

Customer View Model

[ENG\\_CVM\\_329656\\_G.2d\\_dxf.zip](#)

English

### 3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

329656

Foil Terminals, Tin Plating, Box, 12 – 10 AWG Wire Size, 3.3 – 5.26 mm<sup>2</sup> Wire Size, 150 °C [302 °F], TERMI-FOIL



## Product Environmental Compliance

### TE Material Declaration

English