


## SOLISTRAND

TE Internal #: 33466-1 Closed Ring Tongue Terminal, 6 AWG, M8 / 5/16 Stud Size, 8.33 mm [.328 in] Stud Diameter, Closed Barrel, Right Angle, Tin, Uninsulated

### View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 20800 - 33100 CMA

Stud Size: 5/16, M8

# Features

## **Product Type Features**

Ring Terminal Product Type	Closed Ring Tongue Terminal	
Stud Size	5/16, M8	
Sealable	No	
Wire Insulation Support Retention Type	Non-Insulation Support	
Configuration Features		
Number of Holes	1	
Contact Features		
Barrel Type	Closed	
Terminal Orientation	Right Angle	
Terminal Plating Material	Tin	
Mechanical Attachment		
Wire Insulation Support	Without	
Dimensions		
Wire Size	20800 – 33100 CMA	
Stud Diameter	8.33 mm[.328 in]	



## 33466-1

Closed Ring Tongue Terminal, 6 AWG, M8 / 5/16 Stud Size, 8.33 mm [.328 in] Stud Diameter, Closed Barrel, Right Angle, Tin, Uninsulated



Tongue Thickness	.79 mm[.031 in]
Product Length	31.65 mm[1.246 in]
Barrel Inside Diameter	5.89 mm[.232 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	170 °C[338 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
Compatible With Wire Base Material Compatible With Wire Plating Material	Copper Tin
Compatible With Wire Plating Material	
Compatible With Wire Plating Material Industry Standards	Tin
Compatible With Wire Plating Material Industry Standards Government Qualified Terminal	Tin

# Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Colder Process Consolities	Not applicable for colder process capability	

#### Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent to these limits as defined in the Annexes of Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits

## 33466-1

Closed Ring Tongue Terminal, 6 AWG, M8 / 5/16 Stud Size, 8.33 mm [.328 in] Stud Diameter, Closed Barrel, Right Angle, Tin, Uninsulated



as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

# **Compatible Parts**



# Customers Also Bought



			ETE
TE Part #3-2176343-8	TE Part #SRK02-FLA-64A-001	TE Part #6609049-1	TE Part #K1142884
CRGCQ 1206 12K 1%	REC, 64P, BLK, E, FLANGE, A	3VQ1=F7265 S0	Battery Disconnector 35-210-051-R-900



# Documents

Product Drawings TERMINAL, SOLIS R 6 5/16 90DEG

English

## 33466-1

Closed Ring Tongue Terminal, 6 AWG, M8 / 5/16 Stud Size, 8.33 mm [.328 in] Stud Diameter, Closed Barrel, Right Angle, Tin, Uninsulated



**CAD** Files **Customer View Model** ENG\_CVM\_CVM\_33466-1\_AP.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_33466-1\_AP.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_33466-1\_AP.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Datasheets & Catalog Pages **SOLISTRAND - QRG** 

English

**Product Environmental Compliance** 

**Product Compliance** 

English

**Product Compliance** 

English

Agency Approvals UL Report

English