

SOLISTRAND

TE Internal #: 34194

Closed Ring Tongue Terminal, 22 – 16 AWG, M3.5 / #6 Stud Size, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Tin,

Uninsulated

View on TE.com >



Terminals & Splices > Ring Terminals











Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: **509 – 3260 CMA**

Stud Size: #6, M3.5

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#6, M3.5
Sealable	No
Wire Insulation Support Retention Type	Non-Insulation Support
Configuration Features	
Number of Holes	1
Body Features	
Product Weight	.535 g
Contact Features	
Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin
Mechanical Attachment	
Wire Insulation Support	Without



Wire Size	509 – 3260 CMA
Stud Diameter	3.68 mm[.145 in]
Tongue Thickness	.79 mm[.03 in]
Product Length	13.41 mm[.53 in]
Barrel Inside Diameter	1.55 mm[.061 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	170 °C[338 °F]

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

Industry Standards

Packaging Features

Packaging Quantity	1000
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these



limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 58545-1 SOLISTRAND 10-22 DIE ASSY



TE Part # 58546-1 PC 22-10 SOLISSPICE SPL I SHT



TE Part # 49935

DAHT SOLIS 22-10 ASSY




TE Part # 525693

DAHT SOLIS 22-10 ASSY



TE Part # 58545-3 SDE DIE ASSY. 22-10 SOLISTRAND



TE Part # 47812 DIES SOLIS 22-16 DIE SET



TE Part # 539662-2 MATR SOLISTR 0,3-6,



Customers Also Bought




TE Part #DTM06-4S-E007 PLG, 4P, GRY, N, XCAP



TE Part #1757819-9 AMPLIMITE,ASY,PLUG,STD,109,ZN,4, CT



TE Part #205558-2 AMPLIMITE,ASY,PLUG,STD,109,2




TE Part #3-644461-4 04P MTA156 CONN ASSY 18AWG LF



TE Part #1735801-1
2.0mm,Crimp,Contact



TE Part #7-2232265-2 PTL 1X2 PLUG HSG GLW WIRE KEY C GRN



TE Part #1742354-1 PL 250 REC 16-18AWG PTBR



TE Part #2-2338183-3
EP 2.5 HOUSING 3P, BLUE, UL version









Documents

Product Drawings

SOLIS R 22-16 COMM 22-18 MIL 6

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_34194_U.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_34194_U.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_34194_U.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Agency Approvals

UL Report

English

UL Report

English

UL Report

English