


PLASTI-GRIP

TE Internal #: 342143-1 Closed Ring Tongue Terminal, 16 – 14 AWG, #8 / M4 Stud Size, 4.3 mm [.171 in] Stud Diameter, Closed Barrel, Straight, Tin, PLASTI-GRIP

View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 1 – 2.5 mm²

Stud Size: #8, M4

Stud Diameter: 4.3 mm [.171 in]

Features

Product Type Features



Terminal Features	Sheared	
Ring Terminal Product Type	Closed Ring Tongue Terminal	
Stud Size	#8, M4	
Sealable	No	
Wire Insulation Support Retention Type	Insulation Support	
Configuration Features		
Number of Holes	1	
Electrical Characteristics		
Voltage Rating	600 V	
Body Features		
Product Weight	.891 g	
Insulation Sleeve Color	Blue	
Stripe Color	Blue	
Contact Features		

Closed Ring Tongue Terminal, 16 – 14 AWG, #8 / M4 Stud Size, 4.3 mm [.171 in] Stud Diameter, Closed Barrel, Straight, Tin, PLASTI-GRIP



Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin
Mechanical Attachment	
Wire Insulation Support	Without
Dimensions	
Wire Size	1 – 2.5 mm ²
Stud Diameter	4.3 mm[.171 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	22.1 mm[.87 in]
Compatible Insulation Diameter (Max)	4.9 mm[.193 in]
Compatible Insulation Diameter Range	3 – 4.9 mm[.118 – .193 in]
Usage Conditions	
Insulation Option	Partially Insulated
Operating Temperature Range	105 °C[221 °F]
Operation/Application	
Compatible With Wire Base Material	Copper

Compatible With Wire Plating Material

Tin

Industry Standards

Government Qualified Terminal	No
Packaging Features	
Packaging Quantity	100
Packaging Method	Loose Piece
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235)

Closed Ring Tongue Terminal, 16 – 14 AWG, #8 / M4 Stud Size, 4.3 mm [.171 in] Stud Diameter, Closed Barrel, Straight, Tin, PLASTI-GRIP



Does not contain REACH SVHC

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability


Halogen Content

Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | PLASTI-GRIP



Closed Ring Tongue Terminal, 16 – 14 AWG, #8 / M4 Stud Size, 4.3 mm [.171 in] Stud Diameter, Closed Barrel, Straight, Tin, PLASTI-GRIP





Customers Also Bought



100 50SR PANEL MOUNT RCPT, ROHS	PCI Express RA assy 5.8mm slot 3.1 mm pc	SRCP 1,27 12 F 1-KS IDC22 137 E1 162 1,2
		mm pc

Documents

Product Drawings 16-14 F.E.P.G. R/TONGUE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_342143-1_N.2d_dxf.zip

Closed Ring Tongue Terminal, 16 – 14 AWG, #8 / M4 Stud Size, 4.3 mm [.171 in] Stud Diameter, Closed Barrel, Straight, Tin, PLASTI-GRIP



English

Customer View Model ENG_CVM_CVM_342143-1_N.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_342143-1_N.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Product Environmental Compliance MD_342143-1_05092018951_dmtec

English

MD_342143-1_05092018951_dmtec

English