FASTON | FASTON 187

TE Internal #: 342368-1

Quick Disconnects, Receptacle, 24 – 20 AWG Wire Size, .2 – .51 mm² Wire Size, Mating Tab Width 4.75 mm [.187 in], Straight, Brass,

FASTON 187

View on TE.com >



Terminals & Splices > Quick Disconnects











Quick Disconnect Terminal Type: Receptacle

Wire Size: .2 – .51 mm²

Mating Tab Width: 4.75 mm [.187 in]

Mating Tab Thickness: .81 mm [.032 in]

Features

Product Type Features

Insertion Force

Configuration Features	
Connection Capacity	Single
Compatible With Wire & Cable Type	Discrete Wire
Contact Features	
Quick Disconnect Terminal Type	Receptacle
Mating Tab Width	4.75 mm[.187 in]
Mating Tab Thickness	.81 mm[.032 in]
Terminal Orientation	Straight
Contact Base Material	Brass
Terminal Plating Material	Unplated
Crimp Type	F-Crimp
Barrel Type	Open

Normal



Product Terminates To	Wire & Cable
Mechanical Attachment	
Wire Insulation Support	With
Mating Retention Type	Dimple
Dimensions	
Terminal Material Thickness	.3 mm[.012 in]
Product Length	15 mm[.591 in]
Compatible Insulation Diameter Range	1.02 – 1.78 mm[.04 – .07 in]
Wire Size	$.251 \text{ mm}^2$
Usage Conditions	
Usage Conditions Insulation Option	Uninsulated
	Uninsulated -40 – 110 °C[-40 – 230 °F]
Insulation Option	
Insulation Option Operating Temperature Range	
Insulation Option Operating Temperature Range Industry Standards	-40 - 110 °C[-40 - 230 °F]
Insulation Option Operating Temperature Range Industry Standards Agency/Standard	-40 - 110 °C[-40 - 230 °F]

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability
Due de et Canadian de Diadaire de	

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 2150072-1
OCEAN_2.0_Applicator-E-055F080F



TE Part # 881624-2 187 FASTON REC 17-14 AWG TPBR



TE Part # 63648-1 250 FASTON FLAG REC 20-14 AWG BR



TE Part # 2150072-2 OCEAN_2.0_Applicator-E-055F080F



TE Part # 2232974-1 187 FASTON,REC.,24-20 AWG,BR



TE Part # 7-2150072-1 OCEAN_2.0_Applicator-E-055F080F



TE Part # 7-2150072-2 OCEAN_2.0_Applicator-E-055F080F



TE Part # 7-2150072-7

OCEAN_2.0_SPARE_PART_KIT055F080F



Also in the Series | FASTON 187





Crimp Terminal Housings(42)



Insertion & Extraction Tools(1)



Joints & Splices(1)



PCB Terminals(42)



Quick Disconnects(209)



Splices(1)


Customers Also Bought



TE Part #2-917542-2 DYNAMIC D-5 S/ROW HDR ASY 4P V



TE Part #170054-1
FF 250 REC 20-14AWG BR LP



TE Part #142685-3 L.I.F PL CONTACT 5MM 0.35-1 MM2 PTPPHBZ



TE Part #1217281-3 FF 110 REC 24-20AWG BR



TE Part #5053204012 RNF-100-1/2-2-SP



TE Part #5-160465-1 250 FASTON REC 18-16 AWG BR



TE Part #62802-1 FF 187 REC 22-16AWG BR



TE Part #825437-3 MOD 2 PINHDR 1X03P.



Documents



Product Drawings

187 FASTON, REC., 30-24 AWG, BR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_342368-1_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_342368-1_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_342368-1_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English