# 344111-1 ~ ACTIVE

AMP | Econoseal TE Internal #: 344111-1 Housing for Female Terminals, Wire-to-Board, 36 Position, .196 in [5 mm] Centerline, Sealable, Black, Wire & Cable, Signal, Econoseal View on TE.com >



Connectors > Automotive Connectors > Automotive Housings



#### Connector System: Wire-to-Board

Number of Positions: **36** 

Connector & Housing Type: Housing for Female Terminals

Centerline (Pitch): 5 mm [.196 in ]

Sealable: Yes

### Features

### **Product Type Features**

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector System	Wire-to-Board
Connector & Housing Type	Housing for Female Terminals

Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	On the Terminal
Configuration Features	
Number of Positions	36
Number of Rows	3
Electrical Characteristics	
Nominal Voltage Architecture	12 V
Body Features	
Cable Exit Angle	180°
Primary Product Color	Black
Connector & Keying Code	Neutral
Contact Features	
Contact Size	1.8mm

### 344111-1

Housing for Female Terminals, Wire-to-Board, 36 Position, .196 in [5 mm] Centerline, Sealable, Black, Wire & Cable, Signal, Econoseal



Contact Type	Receptacle
Mating Tab Width	1.8 mm[.07 in]
Contact Current Rating (Max)	10 A
Mechanical Attachment	
Terminal Position Assurance	Yes
Mating Alignment Type	Polarization Slot
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PAGF
Centerline (Pitch)	5 mm[.196 in]
Dimensions	
Connector Height	34 mm[1.33 in]
Product Width	30.5 mm[1.201 in]
Product Length	70.6 mm[2.776 in]
Row-to-Row Spacing	5.4 mm[.212 in]

### Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-20 – 125 °C[-4 – 257 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Quantity	100
Packaging Method	Bag
Other	
Connector Position Assurance Capable	No
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold

Housing for Female Terminals, Wire-to-Board, 36 Position, .196 in [5 mm] Centerline, Sealable, Black, Wire & Cable, Signal, Econoseal



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

## **Compatible Parts**






## Also in the Series Econoseal




### 344111-1


Housing for Female Terminals, Wire-to-Board, 36 Position, .196 in [5 mm] Centerline, Sealable, Black, Wire & Cable, Signal, Econoseal







### Customers Also Bought



### Documents

Product Drawings 36W EMS.REC. HSG.ASSY

English

#### **CAD** Files

Customer View Model

ENG\_CVM\_344111-1\_J.2d\_dxf.zip

English

Customer View Model

**S** For support call+1 800 522 6752

### 344111-1

Housing for Female Terminals, Wire-to-Board, 36 Position, .196 in [5 mm] Centerline, Sealable, Black, Wire & Cable, Signal, Econoseal



### ENG\_CVM\_344111-1\_J.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_344111-1\_J.3d\_stp.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

EB\*\*Econoseal 3 Low Current

English