

#### **SOLISTRAND**

TE Internal #: 34487


Closed Ring Tongue Terminal, 14 – 12 AWG, M6 / 1/4 Stud Size, 6.73 mm [.265 in] Stud Diameter, Closed Barrel, Straight, Tin,

Uninsulated

View on TE.com >



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 3260 – 8230 CMA

Stud Size: 1/4, M6

### **Features**

### **Product Type Features**

Ring Terminal Product Type	Closed Ring Tongue Terminal			
Stud Size	1/4, M6			
Sealable	No			
Wire Insulation Support Retention Type	Non-Insulation Support			
Configuration Features				
Number of Holes	1			
Body Features				
Product Weight	1.167 g			
Contact Features				
Barrel Type	Closed			
Terminal Orientation	Straight			
Terminal Plating Material	Tin			
Mechanical Attachment				
Wire Insulation Support	Without			



Wire Size	3260 – 8230 CMA
Stud Diameter	6.73 mm[.265 in]
Tongue Thickness	.97 mm[.04 in]
Product Length	18.77 mm[.74 in]
Barrel Inside Diameter	2.49 mm[.098 in]

### **Usage Conditions**

Insulation Option	Uninsulated
Operating Temperature Range	170 °C[338 °F]

### Operation/Application

Industry Standards	
Compatible With Wire Plating Material	Tin
Compatible With Wire Base Material	Copper

No

# Packaging Features

Government Qualified Terminal

Packaging Method	Loose Piece

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part



numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts



## Customers Also Bought

















TE Part #G-ENS-002 ASSY SX-A TRIM SENDER 3-WIRE

### **Documents**

**Product Drawings** 



#### TERMINAL, SOLIS R 14-12 1/4

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_34487\_G.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_34487\_G.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_34487\_G.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

**SOLISTRAND - QRG** 

English

### **Product Environmental Compliance**

**TE Material Declaration** 

English

## Agency Approvals

**UL Report** 

English