AMP-IN | CGS HS

TE Internal #: 347477-1


Housing for Female Terminals, Wire-to-Board, 5 Position, .177 in [4.5 mm] Centerline, Black, Wire & Cable, Signal, Cable Mount

(Free-Hanging), CGS HS

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings



Connector System: Wire-to-Board

Number of Positions: 5

Connector & Housing Type: Housing for Female Terminals

Centerline (Pitch): 4.5 mm [.177 in]

Sealable: No

Features

Product Type Features

Troduct Type reduces	
Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector System	Wire-to-Board
Connector & Housing Type	Housing for Female Terminals
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	Integrated in Housing
Configuration Features	
Number of Positions	5
Number of Rows	1
Body Features	

Mechanical Attachment

Primary Product Color

Mating Alignment Type	Polarized
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Black

Housing Features

Centerline (Pitch)	4.5 mm[.177 in]



Usage Conditions

Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-30 - 105 °C[-22 - 221 °F]
Operation/Application	
Circuit Application	Signal
Other	
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series | CGS HS



Automotive Housings(31)



Card Edge Connector Housings(2)



Chassis Mount Resistors(603)



FFC Connectors(1)



High Speed Backplane Connectors(11)




PCB Headers & Receptacles(2)



Plug & Socket Lighting Connector Accessories(1)



RJ45 Connectors(1)



Customers Also Bought























Documents

Product Drawings

MULTILOCK RECEPTACLE HSG.5 WAY

English

CAD Files

Customer View Model

ENG_CVM_CVM_347477-1_A.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_347477-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_347477-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.