#### **AMP-IN**

TE Internal #: 350221-1

PCB Terminals, Receptacle, 28 – 26 AWG Wire Size, .08 – .15 mm²

Wire Size, Through Hole - Solder, Pre-Tin Plating, Package,

Terminates To Wire & Cable

View on TE.com >



Terminals & Splices > PCB Terminals











PCB Terminal Type: Receptacle

Mating Pin Diameter: 2.36 mm [ .093 in ]

Compatible Insulation Diameter (Max): 1.45 mm [ .057 in ]

Compatible Insulation Diameter Range: .81 – 1.45 mm [ .032 – .057 in ]

Wire Size: 28 – 26 AWG

#### **Features**

## **Product Type Features**

Terminal Features	Stud Hole
Contact Features	
PCB Terminal Type	Receptacle
Mating Pin Diameter	2.36 mm[.093 in]
Terminal Plating Material	Pre-Tin
Terminal Size	Miniature
Terminal Orientation	Straight
Termination Features	
Termination Method to Printed Circuit Board	Through Hole - Solder

Wire & Cable

With

Product Terminates To

**Mechanical Attachment** 

Wire Insulation Support



Terminal Material Thickness	.3 mm[.012 in]
Compatible Insulation Diameter (Max)	1.45 mm[.057 in]
Compatible Insulation Diameter Range	.81 – 1.45 mm[.032 – .057 in]
Wire Size	$.0815 \text{ mm}^2$

### **Usage Conditions**

Insulation Option	Uninsulated
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]

#### **Packaging Features**

Packaging Quantity	7000
Packaging Method	Package

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**





TE Part # 2-2837271-2 OC-PA-S-FA-055F090O-001-0033



OC-AT-S-FA-055F090O-001-0033

TE Part # 350015-1 093 PIN REC 22-18 0125PTPPHBZ




# Customers Also Bought




















### **Documents**

Product Drawings
093 PIN REC 28-26 PTPPHBZ

English

**CAD Files** 

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_350221-1\_N\_c-350221-1-n.2d\_dxf.zip



English

**Customer View Model** 

ENG\_CVM\_CVM\_350221-1\_N\_c-350221-1-n.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_350221-1\_N\_c-350221-1-n.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 

**Application Specification** 

English