

## FASTON | FASTON 187

TE Internal #: 360035-1 Splices, Butt Splice, Splice Capacity 1, Brass, Length 1.75 in [44.45 mm], Loose Piece, Fully Insulated, FASTON 187

#### View on TE.com >

Terminals & Splices > Splices



Sealable: No

Splice Capacity: 1

Contact Base Material: Brass

Splice Type: Butt Splice

Terminal Material Thickness: 1.77 mm [.07 in]

## Features

Product Type Features



Splice Accessory Type	Splice
Sealable	No
Splice Type	Butt Splice
Configuration Features	
Splice Capacity	1
Body Features	
Insulation Material	Nylon
Contact Features	
Contact Base Material	Brass
Housing Features	
Housing Material	Nylon - GF
Dimensions	
Terminal Material Thickness	1.77 mm[.07 in]
Product Length	44.45 mm[1.75 in]

Splices, Butt Splice, Splice Capacity 1, Brass, Length 1.75 in [44.45 mm], Loose Piece, Fully Insulated, FASTON 187



Usage Conditions	
Insulation Option	Fully Insulated
Industry Standards	
Agency/Standard	RU (UL Component Program)
Government Qualified Splice	No
Packaging Features	
Packaging Quantity	1000
Packaging Method	Loose Piece
Product Compliance	
EU RoHS Directive 2011/65/EU	Compliant
EU RoHS Directive 2011/65/EU EU ELV Directive 2000/53/EC	Compliant Compliant

#### Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Does not contain REACH SVHC

Not applicable for solder process capability

#### Solder Process Capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**


Splices, Butt Splice, Splice Capacity 1, Brass, Length 1.75 in [44.45 mm], Loose Piece, Fully Insulated, FASTON 187





187 FASTON REC 20-16 AWG BR

# Also in the Series | FASTON 187










# Customers Also Bought



Splices, Butt Splice, Splice Capacity 1, Brass, Length 1.75 in [44.45 mm], Loose Piece, Fully Insulated, FASTON 187





# Documents

## Product Drawings .187 INLINE SPLICE ASSY

English

#### **CAD** Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_360035-1\_C.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_360035-1\_C.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_360035-1\_C.3d\_stp.zip

English

3D PDF

English

**Customer View Model** 

ENG\_CVM\_360035-1\_D.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_360035-1\_D.3d\_igs.zip

English

Customer View Model ENG\_CVM\_360035-1\_D.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

#### **Product Environmental Compliance**

**TE Material Declaration** 

English

Agency Approvals

Agency Approval Document

English

**C** For support call+1 800 522 6752

Splices, Butt Splice, Splice Capacity 1, Brass, Length 1.75 in [44.45 mm], Loose Piece, Fully Insulated, FASTON 187

