

RITS | RITS Plug Connector

TE Internal #: 4-1473562-3 Standard Rectangular Connectors, Connector Assembly, Plug, Mating Alignment, Polarization Mating Alignment Type, Mating Retention, RITS Plug Connector

View on TE.com >



Connectors > Rectangular Connectors > Standard Rectangular Connectors



Connector Product Type: Connector Assembly

Connector & Housing Type: Plug

Mating Alignment: With

Mating Alignment Type: Polarization

Mating Retention: With

Features

Product Type Features

| Connector Product Type | Connector Assembly |
|-----------------------------------|-----------------------|
| Connector & Housing Type | Plug |
| Connector System | Wire-to-Board |
| Sealable | No |
| Connector & Contact Terminates To | Printed Circuit Board |
| Configuration Features | |
| Contacts Preloaded | Yes |
| Number of Positions | 3 |
| Number of Rows | 1 |
| Electrical Characteristics | |
| Operating Voltage | 32 VDC |
| Contact Features | |
| Contact Layout | Inline |
| Contact Type | Tab |

C For support call+1 800 522 6752

Standard Rectangular Connectors, Connector Assembly, Plug, Mating Alignment, Polarization Mating Alignment Type, Mating Retention, RITS Plug Connector



| Wire Contact Termination Area Plating Material | Gold |
|---|------------------------------|
| Contact Underplating Material | Nickel |
| Contact Mating Area Plating Material | Gold |
| Contact Retention Within Housing | Without |
| Contact Current Rating (Max) | 3 A |
| Termination Features | |
| Termination Method to Wire & Cable | Crimp |
| Mechanical Attachment | |
| PCB Mount Alignment | Without |
| PCB Mount Retention | Without |
| I CD Mount Retention | vvitriout |
| Mating Alignment | With |
| | |
| Mating Alignment | With |
| Mating Alignment Mating Alignment Type | With Polarization |
| Mating Alignment Mating Alignment Type Mating Retention | With Polarization With |

Housing Material

Thermoplastic GF

| Housing Color | Green |
|--------------------------------|---------------------------|
| | .079 in |
| Dimensions | |
| Connector Height | 18.5 mm[.728 in] |
| Product Width | 5.05 mm[.198 in] |
| Product Length | 14.1 mm[.555 in] |
| Usage Conditions | |
| Operating Temperature Range | -30 – 75 °C[-22 – 167 °F] |
| Operation/Application | |
| Halogen Free | Yes |
| Shielded | No |
| Circuit Application | Signal |
| Identification Marking | |
| Circuit Identification Feature | Without |

Standard Rectangular Connectors, Connector Assembly, Plug, Mating Alignment, Polarization Mating Alignment Type, Mating Retention, RITS Plug Connector



Industry Standards

| Glow Wire Rating | Standard Part - Not Glow Wire |
|------------------------|-------------------------------|
| UL Flammability Rating | UL 94V-0 |
| Packaging Features | |
| Packaging Quantity | 36 |
| Packaging Method | Tube |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC |
| Halogen Content | Not Low Halogen - contains Br or Cl > 900 ppm. |
| Solder Process Canability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts

Standard Rectangular Connectors, Connector Assembly, Plug, Mating Alignment, Polarization Mating Alignment Type, Mating Retention, RITS Plug Connector





Also in the Series | RITS Plug Connector



Customers Also Bought



TE Part #389957J001 V2-3.0-0-SP-SM

TE Part #2-2295044-3 RITS CONN. PLUG ASSY 3P BLUE TIN

TE Part #2-2295044-4 TE Part #2295044-6
RITS CONN. PLUG ASSY 4P BLUE TIN
RITS CONN. PLUG ASSY 6P YELLOW
TIN



Standard Rectangular Connectors, Connector Assembly, Plug, Mating Alignment, Polarization Mating Alignment Type, Mating Retention, RITS Plug Connector



Documents

CAD Files **Customer View Model** ENG_CVM_CVM_4-1473562-3_F.2d_dxf.zip

English

3D PDF

3D

Customer View Model ENG_CVM_CVM_4-1473562-3_F.3d_igs.zip

English

Customer View Model ENG_CVM_CVM_4-1473562-3_F.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Datasheets & Catalog Pages Remote Input Output Terminal System (RITS) Connectors

English

Product Specifications Product Specification

Japanese

Instruction Sheets Instruction Sheet (non U.S.)

Japanese

RITS Connector Interconnection System/e-CON Connector

Japanese

Instruction Sheet (non U.S.)

Japanese

HAND TOOL FOR RITS PLUG SOCKET ASSEMBLY

Japanese