6PCR-28-007 - ACTIVE

Buchanan | Buchanan 6 Series

TE Internal #: 4-1546158-2 Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 28 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan 6 Series View on TE.com >



Connectors > Terminal Blocks & Strips > Barrier Strips



Barrier Strip Style: Tri-Barrier

Bottom Termination Type: Printed Circuit Pin

Connector System: Wire-to-Board

Number of Positions: 28

Centerline (Pitch): 9.53 mm [.375 in]

Features

Product Type Features

Block Style	Flat Bottom						
Connector System	Wire-to-Board						
Connector & Contact Terminates To	Printed Circuit Board						
Configuration Features							
Number of Levels	1						
Number of Positions	28						
Number of Rows	1						
Electrical Characteristics							
Operating Voltage	300 V						
Body Features							
Primary Product Color	Black						
Product Orientation	Right Angle						
Barrier Strip Style	Tri-Barrier						
Contact Features							

C For support call+1 800 522 6752

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 28 Position, 9.53 mm [. 375 in] Centerline, 1 Row, Buchanan 6 Series



PCB Contact Termination Area Plating Material	Tin				
Contact Base Material	Copper Alloy				
Contact Current Rating (Max)	25 A				
Termination Features					
Bottom Termination Type	Printed Circuit Pin				
Mechanical Attachment					
Screw Head Type	Combo Phil-Slot				
Screw Plating Material	Zinc Chromate				
Screw Material	Steel				
Top Termination Type	Binding Combo Head				
Mounting Options	None				
Thread Size	6-32				
Connector Mounting Type	Board Mount				
Housing Features					
Housing Material	Thermoplastic				
Centerline (Pitch)	9.53 mm[.375 in]				

Dimensions

Product Length	268.25 mm[10.561 in]
Wire Size	.3 – 3 mm²
Usage Conditions	
Operating Temperature Range	0-105 °C[0-221 °F]
Operation/Application	
Circuit Application	Power
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	50
Packaging Method	Package
Other	
Terminal Blocks & Strips Comment	Do not order screw and captive clamp in combination with other top hardware., Other options available upon request, consult our Product Information Center.

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 28 Position, 9.53 mm [. 375 in] Centerline, 1 Row, Buchanan 6 Series



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Saldar Pragage Capability	M_{2} and A and A and A and A

Solder Process Capability

Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



Also in the Series | Buchanan 6 Series

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 28 Position, 9.53 mm [. 375 in] Centerline, 1 Row, Buchanan 6 Series





Customers Also Bought



6PCV-06-006=6PCV ASSEMBLY	6PCV-09-006=6PCV ASSEMBLY	R10-E1X2-V700=R10	KRPA-5AG-120=KRPA



Documents

Product Drawings 6PCR-28-007=6PCR ASSEMBLY

English

CAD Files

Customer View Model

ENG_CVM_CVM_4-1546158-2_L.2d_dxf.zip

English

3D PDF

C For support call+1 800 522 6752

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 28 Position, 9.53 mm [. 375 in] Centerline, 1 Row, Buchanan 6 Series



3D

Customer View Model ENG_CVM_CVM_4-1546158-2_L.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_4-1546158-2_L.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages 1-1773458-2_BARRIER_STRIPS_QUICK_REFERENCE_GUIDE

English