# RLP73K2BR75FTDF <a>Active</a>

CGS | CGS RLP73 TE Internal #: 4-2176055-6 .75 Ω, Thick Film, Current Sensing Resistor, 1 %, 2 Termination, 1206, Taped & Reeled, .5 W, ±200 ppm/°C, Solder, 3.1 x 1.55 x .55 mm, CGS RLP73

View on TE.com >



Passive Components > Resistors > Surface Mount Resistors > Thick Film Resistor: Current Sense



Resistor Type: Current Sensing Resistor

Number of Terminations: 2

Package Size Code: 1206

Packaging Method: Taped & Reeled

Passive Component Tolerance: 1%

All Thick Film Resistor: Current Sense (214)

### Features

### Product Type Features

Product Type

Resistor Type

Fixed Resistor

Current Sensing Resistor

Package Size Code	1206			
Element Type	Thick Film			
Configuration Features				
Number of Resistors	1			
Electrical Characteristics				
Passive Component Tolerance	1 %			
Resistance Class	Up to 1kΩ			
Resistance Value	.75 Ω			
Power Rating	.5 W			
Termination Features				
Number of Terminations	2			
Surface Mount Resistor Termination Type	Solder			
Dimensions				
Passive Component Dimensions	3.1 x 1.55 x .55 mm			

#### RLP73K2BR75FTDF

.75 Ω, Thick Film, Current Sensing Resistor, 1 %, 2 Termination, 1206, Taped & Reeled, .5 W, ±200 ppm/°C, Solder, 3.1 x 1.55 x .55 mm, CGS RLP73



#### **Usage Conditions**

Temperature Coefficient

#### Packaging Features

Packaging Method

### Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Reflow solder capable to 260°C

Product Compliance Disclaimer

±200 ppm/°C

Taped & Reeled

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

### **Compatible Parts**



### RLP73K2BR75FTDF

.75 Ω, Thick Film, Current Sensing Resistor, 1 %, 2 Termination, 1206, Taped & Reeled, .5 W, ±200 ppm/°C, Solder, 3.1 x 1.55 x .55 mm, CGS RLP73





## Customers Also Bought



	- 15			
TE Part #282836-3	TE Part #2337237-1	TE Part #324075	TE Part #390322-1	
TERMI-BLOK PCB MOUNT 90 3P.	TACT MINI GW 5.2X5.2X1.5 70GF	TERMINAL,PIDG R 26-22 10	SKT,SODIMM,144P,SDRAM3.3V,U.HI	

TE Part #1-1977120-4 FSM8JHX=6MM TACT SWITCH, HIGH TEMP

### Documents

Product Drawings

RLP73K 2B R75 1% 1K RL

English

### **CAD** Files

3D PDF

3D

### RLP73K2BR75FTDF

.75 Ω, Thick Film, Current Sensing Resistor, 1 %, 2 Termination, 1206, Taped & Reeled, .5 W, ±200 ppm/°C, Solder, 3.1 x 1.55 x .55 mm, CGS RLP73



Customer View Model

ENG\_CVM\_CVM\_4-2176055-6\_BA.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_4-2176055-6\_BA.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_4-2176055-6\_BA.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages SMD Low Ohmic Current Sense Resistors - Type RL73 Series

English