**4-2337939-8 ~** ACTIVE

TE Internal #: 4-2337939-8 PCI & PCI Express Connectors, Board-to-Board, 164 Position, .039 in [1 mm] Centerline, Vertical, Black, Signal, -40 – 85 °C View on TE.com >



Connectors > PCB Connectors > Card Edge Connectors > PCI & PCI Express Connectors



#### Connector System: Board-to-Board

Number of Positions: 164

PCI Generation: 4

Centerline (Pitch): 1 mm [.039 in ]

Contact Mating Area Plating Material Thickness: [15 µin]

#### Features

#### **Product Type Features**

Connector System

Sealable

Connector & Contact Terminates To

Board-to-Board

No

Printed Circuit Board

#### **Configuration Features**

Number of Positions	164
PCB Mount Orientation	Vertical
Ejector	Without
Body Features	
Primary Product Color	Black
Contact Features	
Contact Mating Area Plating Material	Gold
Contact Underplating Material	Nickel
PCB Contact Termination Area Plating Material	Tin
Contact Base Material	Copper Alloy
	15 µin
Contact Current Rating (Max)	1.1 A
Mechanical Attachment	
Connector Mounting Type	Board Mount

#### 4-2337939-8

PCI & PCI Express Connectors, Board-to-Board, 164 Position, .039 in [1 mm] Centerline, Vertical, Black, Signal, -40 – 85 °C



#### **Housing Features**

Centerline (Pitch)	1 mm[.039 in]
Dimensions	
PCB Thickness (Accepted)	1.57 mm
Usage Conditions	
Operating Temperature Range	-40 – 85 °C
Operation/Application	
Circuit Application	Signal
Industry Standards	
Bus Type	PCI Express
PCI Generation	4
Packaging Features	
Packaging Method	Box & Tray

### Product Compliance

For compliance documentation, visit the product page on TE.com>

#### EU RoHS Directive 2011/65/EU

#### Compliant

EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides

#### 4-2337939-8

PCI & PCI Express Connectors, Board-to-Board, 164 Position, .039 in [1 mm] Centerline, Vertical, Black, Signal, -40 – 85 °C




on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



# Customers Also Bought





## Documents

## CAD Files

3D PDF

3D

#### 4-2337939-8

PCI & PCI Express Connectors, Board-to-Board, 164 Position, .039 in [1 mm] Centerline, Vertical, Black, Signal, -40 – 85 °C



Customer View Model

#### ENG\_CVM\_CVM\_4-2337939-8\_A.2d\_dxf.zip

English

**Customer View Model** 

#### ENG\_CVM\_CVM\_4-2337939-8\_A.3d\_igs.zip

English

Customer View Model

#### ENG\_CVM\_CVM\_4-2337939-8\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Product Specifications AMP El Series, Connector

Japanese

**Product Specification** 

Japanese

**Product Specification** 

English

**Product Environmental Compliance** 

Product Compliance

English

**Product Compliance** 

English

Agency Approvals UL Report

English