

40725 ✓ ACTIVE


TE Internal #: 40725

Closed Ring Tongue Terminal, 18 – 14 AWG, #10 Stud Size, 4.82 mm [.19 in] Stud Diameter, Open Barrel, Straight, Tin, Uninsulated

[View on TE.com >](#)



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 1624 – 4106 CMA

Stud Size: #10

Features

Product Type Features

Shape Description	Circular/Oval
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#10
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Number of Holes	1
-----------------	---

Body Features

Product Weight	1.033 g
----------------	---------

Contact Features

Contact Base Material	Brass
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	None



Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

	.1 in
Wire Size	1624 – 4106 CMA
Stud Diameter	4.82 mm [.19 in]
Tongue Thickness	.76 mm [.03 in]
Product Length	19.81 mm [.78 in]
Barrel Inside Diameter	1.52 mm, 2.92 mm [.06 in] [.115 in]
Compatible Insulation Diameter (Max)	3.56 mm [.14 in]
Compatible Insulation Diameter Range	2.54 – 3.56 mm [.1 – .14 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C [-40 – 230 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	11000
Packaging Method	Strip/Reel

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC

Free










Solder Process Capability


Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts


 <p>TE Part # 350080-1 RING TERMINAL 18-14 0.245 X 1.110 TPSTL</p>	 <p>TE Part # 60394-1 RING TERMINAL 20-16 AWG BR</p>	 <p>TE Part # 42933-2 RING TERMINAL 20-16 AWG TPBR</p>	 <p>TE Part # 60744-2 RING CRIMP 18-14 AWG TPBR</p>
 <p>TE Part # 61359-1 RING GR ANTI ROTATIONAL 18-14 AWG PTPST</p>	 <p>TE Part # 1742173-1 SPRING SPADE TERMINAL 18-14 AWG TPBR</p>	 <p>TE Part # 2151370-1 OCEAN_2.0_Applicator-E-130F180F</p>	 <p>TE Part # 2151370-2 OCEAN_2.0_Applicator-E-130F180F</p>
 <p>TE Part # 2151372-2 OCEAN-2.0-APPLICATOR-S-070F130O</p>	 <p>TE Part # 60744-1 RING CRIMP 18-14 AWG BR</p>	 <p>TE Part # 63170-1 RING TERMINAL (RT) 18-14 AWG TPBR</p>	 <p>TE Part # 640189-1 RING TINSEL WIRE TPBR</p>



TE Part # 7-2151370-1
OCEAN_2.0_Applicator-E-130F180F



TE Part # 7-2151370-2
OCEAN_2.0_Applicator-E-130F180F



TE Part # 7-2151370-7
OCEAN_2.0_SPARE_PART_KIT-130F180F



TE Part # 2-2151370-2
OCEAN_2.0_Applicator-E-130F180F

Customers Also Bought



TE Part #1-327717-2
PIDG SPD 22-16 COMM 22-18MIL 4



TE Part #1969442-7
EP 2.5 TPA Housing, 7 Pos



TE Part #794536-1
06P UMNL CAP HSG 150C BLK



TE Part #60798-4
SHUR PLUG 180 RECEPTACLE 18-14 AWG TPBR



TE Part #61137-1
.093 PCB PIN .0126 PTP PH/BZ



TE Part #1-480726-0
03P CMNL CAP HSG D/L NAT



TE Part #1-480724-0
02P CMNL CAP HSG F/H D/L NATL



TE Part #1742626-1
250 FASTON, FLAG, REC., 16-14 AWG, NPST



TE Part #353148-5
POSITIVE LOCK 187 HOUSING RECEPTACLE

Documents

Product Drawings

[RING 190\(4.82MM\)TERMINAL 18-14 AWG TPBR](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_40725_BK.2d_dxf.zip](#)

English

[3D PDF](#)



3D

Customer View Model

[ENG_CVM_CVM_40725_BK.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_40725_BK.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

English

Product Environmental Compliance

[MD_40725_020620182353_dmtec](#)

English

[MD_40725_020620182353_dmtec](#)

English