### Dynamic Series | Dynamic 5000 Series

TE Internal #: 409158-1

Insertion & Extraction Tools, Contact Extraction, Contact-to-

Housing, Dynamic 5000 Series

View on TE.com >



Application Tooling > Insertion & Extraction Tools



Insertion & Extraction Tool Type: Contact Extraction

Insertion & Extraction Tool Application: Contact-to-Housing

#### **Features**

### **Product Type Features**

Insertion & Extraction Tool Type	Contact Extraction
Insertion & Extraction Tool Application	Contact-to-Housing

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts



## Also in the Series | Dynamic 5000 Series



Connector Strain Relief(2)



Insertion & Extraction Tools(1)



PCB Connector Mounting(3)



PCB Headers & Receptacles(59)



PCB Terminal Blocks(6)



Wire-to-Board Connector Assemblies & Housings(71)



Wire-to-Board Connector Contacts(43)

# Customers Also Bought



Receptacle and Tab Housing: 5.08 or 10.16 mm pitch, 250-600V



TE Part #1-1318116-3
DYNAMIC D-2100 TAB HSG 3P P/M



TE Part #316041-6
Contact: Component To Wire; 20-45A, 20-8 wire size



TE Part #224920-E MICROS STV 9 407 188 \* 0007 J 3 224920 M





TE Part #PSA001F16480001000 923 SINGLETEC PLUG

## **Documents**

### Datasheets & Catalog Pages

1-1773732-4\_DYNAMIC\_SERIES\_CATALOG\_ENGLISH

Japanese

1-1773732-4\_DYNAMIC\_SERIES\_CATALOG\_ENGLISH

English

### **Instruction Sheets**

Instruction Sheet (non U.S.)

English

Extraction Tool for AMP Dynamic D-5000 Series

English