

TE Internal #: 41409

Closed Ring Tongue Terminal, 22 – 20 AWG, #5 / M3 Stud Size, 3.25 mm [.128 in] Stud Diameter, Open Barrel, Straight, Tin,

Uninsulated

View on TE.com >



Terminals & Splices > Ring Terminals











Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: **642 – 1021 CMA**

Stud Size: #5, M3

Features

Product Type Features

Shape Description	Circular/Oval
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#5, M3
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Piercing
Configuration Features	
Number of Holes	1
Body Features	
Product Weight	.112 g
Contact Features	
Contact Base Material	Brass
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	None



Mechanical Attachment

Wire Insulation Support	With
Dimensions	
	.049 in
Wire Size	642 – 1021 CMA
Stud Diameter	3.25 mm[.128 in]
Tongue Thickness	.32 mm[.012 in]
Product Length	10.87 mm[.428 in]
Barrel Inside Diameter	1.47 mm[.058 in]
Compatible Insulation Diameter (Max)	1.65 mm[.065 in]
Compatible Insulation Diameter Range	1.27 – 1.65 mm[.05 – .065 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-40 - 110 °C[-40 - 230 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
Industry Standards	
Government Qualified Terminal	No
	INO
Packaging Features	INO
Packaging Features Packaging Quantity	25000

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC



Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 2150729-1 OCEAN_2.0_Applicator-E-090O



TE Part # 2150729-2 OCEAN_2.0_Applicator-E-090O




TE Part # 640189-1
RING TINSEL WIRE TPBR



TE Part # 7-2150729-1
OCEAN_2.0_Applicator-E-090O



TE Part # 7-2150729-2 OCEAN_2.0_Applicator-E-090O



TE Part # 7-2150729-7

OCEAN_2.0_SPARE_PART_KIT-090O



Customers Also Bought

















TE Part #2-1617039-1 HMS1201S04 = 2100 HMS RELAY

Documents

Product Drawings

RING IP 22-20 128 012PTPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_41409_AP_c-41409-ap.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_41409_AP_c-41409-ap.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_41409_AP_c-41409-ap.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English