

41472 ✓ ACTIVE


TE Internal #: 41472

Closed Ring Tongue Terminal, 20 – 16 AWG, #8 / M4 Stud Size,  
3.96 mm [.156 in] Stud Diameter, Open Barrel, Straight, Tin,  
Uninsulated

[View on TE.com >](#)



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: **Closed Ring Tongue Terminal**

Wire Size: **1021 – 2582 CMA**

Stud Size: **#8, M4**

## Features

### Product Type Features

Shape Description	Circular/Oval
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#8, M4
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

### Configuration Features

Number of Holes	1
-----------------	---

### Body Features

Product Weight	.319 g
----------------	--------

### Contact Features

Contact Base Material	Brass
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	Nickel



### Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

### Dimensions

	.1 in
Wire Size	1021 – 2582 CMA
Stud Diameter	3.96 mm [.156 in]
Tongue Thickness	.76 mm [.03 in]
Product Length	11.94 mm [.47 in]
Barrel Inside Diameter	2.03 mm, 2.92 mm [.08 in] [.115 in]
Compatible Insulation Diameter (Max)	3.43 mm [.135 in]
Compatible Insulation Diameter Range	2.54 – 3.43 mm [.1 – .135 in]

### Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C [-40 – 230 °F]

### Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

### Industry Standards

Government Qualified Terminal	No
-------------------------------	----

### Packaging Features

Packaging Quantity	25000
Packaging Method	Strip/Reel

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC

	Free
Solder Process Capability	Not applicable for solder process capability









Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts

 <p>TE Part # 61764-1 RING CRIMP 20-16 AWG BR</p>	 <p>TE Part # 2-2150461-1 OCEAN_2.0_Applicator-E-120F155F</p>	 <p>TE Part # 2-2150461-2 OCEAN_2.0_Applicator-E-120F155F</p>
--	--	--

### Customers Also Bought

 <p>TE Part #T1440241121-000 H24B-SGRS-PG21</p>	 <p>TE Part #40723 RING 138(3.50 MM) TERMINAL18-14 AWG TPBR</p>	 <p>TE Part #63137-1 250 FASOTN FLAG REC 20-16 AWG TPBZ</p>	 <p>TE Part #40955 RING 20-16 AWG .0295 X .390 TPBR</p>
 <p>TE Part #325069 TERMINAL,SOLIS FLAG R 16-14 8</p>	 <p>TE Part #2-31894-2 PIDG 22-16 22-18MIL R 1/4;TAPE</p>	 <p>TE Part #63971-1 250 FASTON TAB TPBR</p>	 <p>TE Part #60440-1 PIN 093 RECEPTACLE 22-18 AWG BR</p>

### Documents

[Product Drawings](#)



**RING TERMINAL 20-16 AWG TPBR**

English

**RING TERMINAL 20-16 AWG TPBR**

English

**RING TERMINAL 20-16 AWG TPBR**

English

---

**CAD Files**

**3D PDF**

3D

**Customer View Model**

[ENG\\_CVM\\_CVM\\_41472\\_P\\_c-41472-p.2d\\_dxf.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_41472\\_P\\_c-41472-p.3d\\_igs.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_41472\\_P\\_c-41472-p.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

**Product Specifications**

**Application Specification**

English

---

**Product Environmental Compliance**

**Product Compliance**

English

**Product Compliance**

English