

TE Internal #: 41559

Closed Ring Tongue Terminal, 18 – 14 AWG, #8 / M4 Stud Size,

4.34 mm [.171 in] Stud Diameter, Open Barrel, Straight, Unplated,

Uninsulated

View on TE.com >



Terminals & Splices > Ring Terminals











Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 1624 – 4106 CMA

Stud Size: #8, M4

Features

Product Type Features

Shape Description	Circular/Oval
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#8, M4
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Number of Holes	1
Body Features	
Product Weight	.44 g
Contact Features	
Contact Base Material	Brass
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Unplated
Contact Underplating Material	None



Mechanical Attachment

Wire Insulation Support	With
Dimensions	
	.12 in
Wire Size	1624 – 4106 CMA
Stud Diameter	4.34 mm[.171 in]
Tongue Thickness	.51 mm[.02 in]
Product Length	16.26 mm[.64 in]
Barrel Inside Diameter	1.9 mm, 3.55 mm[.075 in][.14 in]
Compatible Insulation Diameter (Max)	4.32 mm[.17 in]
Compatible Insulation Diameter Range	3.05 – 4.32 mm[.12 – .17 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]
Operating Temperature Range Operation/Application	-40 – 110 °C[-40 – 230 °F]
	-40 – 110 °C[-40 – 230 °F] Copper
Operation/Application	
Operation/Application Compatible With Wire Base Material	
Operation/Application Compatible With Wire Base Material Industry Standards	Copper
Operation/Application Compatible With Wire Base Material Industry Standards Government Qualified Terminal	Copper
Operation/Application Compatible With Wire Base Material Industry Standards Government Qualified Terminal Packaging Features	Copper
Operation/Application Compatible With Wire Base Material Industry Standards Government Qualified Terminal Packaging Features Packaging Quantity	Copper No 10000
Operation/Application Compatible With Wire Base Material Industry Standards Government Qualified Terminal Packaging Features Packaging Quantity Packaging Method	Copper No 10000

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235)



$D_{\alpha\alpha\alpha}$	n 0+	aantain	REACH	CV/LIC
Does	not	contain	KEACH	SVHU

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per
	homogenous material. Also BFR/CFR/PVC
	Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 485003-1 RING 22-18 AWG 0.0195 X 0.5 NPST



TE Part # 60546-1
EXTRUDED RING CRIMP 18-14 AWG
BR



TE Part # 1217330-1 RING TONGUE 16-14 AWG TPBR



TE Part # 41332-1 RING TERMINAL 18-14 AWG NPST



TE Part # 170011-3
RING TERMINAL STRIP .165DIA



TE Part # 2-2150069-1
OCEAN_2.0_Applicator-E-120F180F



TE Part # 2-2150069-2 OCEAN_2.0_Applicator-E-120F180F



TE Part # 2150069-1
OCEAN_2.0_Applicator-E-120F180F



TE Part # 2150069-2 OCEAN_2.0_Applicator-E-120F180F



TE Part # 41332-5
RING 18-14 AWG TPBR



TE Part # 7-2150069-1
OCEAN_2.0_Applicator-E-120F180F



TE Part # 7-2150069-2 OCEAN_2.0_Applicator-E-120F180F





Customers Also Bought



TE Part #1658659-1 KIT,HDP-20,ENCLSUR,PLUG,SIZE 3



TE Part #141456-1 SKT ASSY, SHUR,INS, 4 MM DIA, 22-16 AWG



TE Part #9-1609095-0 3FB3=F8362





TE Part #2-747579-7
SHLDING FERRULE,PLTD TIN,BULK



TE Part #5-103672-3 04 MTE HDR SRRA LATCH W/HLDWN



TE Part #2324697-6
PUSH GRIP CONNECTOR 6P



Documents

Product Drawings

RING 18-14 AWG BR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_41559_AC_c-41559-ac.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_41559_AC_c-41559-ac.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_41559_AC_c-41559-ac.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Closed Ring Tongue Terminal, 18 – 14 AWG, #8 / M4 Stud Size, 4.34 mm [.171 in] Stud Diameter, Open Barrel, Straight, Unplated, Uninsulated



Product Specifications

Application Specification

English

Product Environmental Compliance

TE Material Declaration

English