4515DO-DS3BK005DP - ACTIVE

MEAS | MEAS MS4515DO

TE Internal #: 4515DO-DS3BK005DP Digital Pressure and Altimeter Sensor Modules, Differential, 5 inH2O, 300 psi, Output/Span 14 bit ADC, ±0.25% Span, MEAS MS4515DO

View on TE.com >



Sensors > Pressure Sensors > Board Mount Pressure Sensors > PCB MOUNTED DIGITAL PRESSURE SENSOR



Board Level Pressure Sensor Type: Digital Pressure and Altimeter Sensor Modules

Board Level Pressure Sensor Style: Differential

Pressure: [300 psi]

Output/Span: 14 bit ADC

Features

Product Type Features

Board Level Pressure Sensor Type

Board Level Pressure Sensor Style

Electrical Characteristics

Digital Pressure and Altimeter Sensor Modules

Differential

| Board Level Pressure Sensor Supply Voltage | 3.3 V | | | |
|--|-----------------------------|--|--|--|
| Dimensions | | | | |
| Dimensions | 12.5 x 9.9 mm[.49 x .39 in] | | | |
| Usage Conditions | | | | |
| Operating Temperature Range | -10 – 85 °C[14 – 185 °F] | | | |
| Operation/Application | | | | |
| | 300 psi | | | |
| Output/Span | 14 bit ADC | | | |
| Board Level Pressure Sensor Accuracy | ±0.25% Span | | | |
| Packaging Features | | | | |
| Board Level Pressure Sensor Package | 8 pin DIL | | | |
| Other | | | | |
| Sensor Options | No Option | | | |

4515DO-DS3BK005DP

Digital Pressure and Altimeter Sensor Modules, Differential, 5 inH2O, 300 psi, Output /Span 14 bit ADC, ±0.25% Span, MEAS MS4515DO



Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC |
| Halogen Content | Not Yet Reviewed for halogen content |
| Solder Process Capability | Not reviewed for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-

reach

Compatible Parts




Also in the Series | MEAS MS4515DO

4515DO-DS3BK005DP

Digital Pressure and Altimeter Sensor Modules, Differential, 5 inH2O, 300 psi, Output /Span 14 bit ADC, ±0.25% Span, MEAS MS4515DO





Customers Also Bought



| RP 1E 0.1W 150K 0.1% 25PPM 5K RL | CM-SCE-TP-1/2-6H-9 | CPF 0805 187R 0.1% 25PPM 1K RL | RQ 0805 41K2 0.1% 10PPM 1K RL |
|----------------------------------|----------------------|--------------------------------|-------------------------------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | =TE | | |
| | | | |
| | | | |
| | | | |
| TE Part #7-1768390-2 | TE Part #2-1105051-2 | | |
| HPR100A-025006-5-9 | HN.D-C-BU.AU.0,5 | | |
| | | | |

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_4515DO-DS3BK005DP_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_4515DO-DS3BK005DP_D.3d_igs.zip

4515DO-DS3BK005DP

Digital Pressure and Altimeter Sensor Modules, Differential, 5 inH2O, 300 psi, Output /Span 14 bit ADC, ±0.25% Span, MEAS MS4515DO



English

Customer View Model ENG_CVM_CVM_4515DO-DS3BK005DP_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Data sheet

English