


Potter & Brumfield TE Internal #: 5-1393028-1 Power Relays, Solid State, 1 Form A (SPST-NO), Printed Circuit Board

View on TE.com >



Relays, Contactors & Switches > Relays > Power Relays



Power Relay Type: Solid State

Contact Arrangement: 1 Form A (SPST-NO)

Relay Mounting Type: Printed Circuit Board

Features

Product Type Features

Output Type

Power	Relay	Туре
-------	-------	------

Solid State

Configuration Features

Output Switching	Zero
Electrical Characteristics	
Output Current Rating	.01 – 3 A
Input Voltage Typical	5 VDC
Output Voltage (Max)	60 V
Output Voltage Rating (DC Relays)	3 – 60 VDC
Output Current (Min)	.01 A
Insulation Initial Dielectric Between Contacts & Coil	4000 Vrms
Body Features	
Product Weight	22.1 g[.87 oz]
Case Color	Red
Contact Features	
Switch Arrangement	1 Form A (SPST-NO)

C For support call+1 800 522 6752

ODCM-5

Power Relays, Solid State, 1 Form A (SPST-NO), Printed Circuit Board



Contact Arrangement	1 Form A (SPST-NO)
Termination Features	
Relay Termination Type	Printed Circuit Terminals
Mechanical Attachment	
Coupling	Optical
Relay Mounting Type	Printed Circuit Board
Housing Features	
Relay Housing Style	Slimline
Dimensions	
Dimensions (L x W x H) (Approximate)	43.5 x 10.3 x 25.5 mm[1.713 x .406 x 1.004 in]
Usage Conditions	
Operating Temperature Range	-30 - 80 °C
Operation/Application	
R-Switch & slimSSR Relays	Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (88% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent

Power Relays, Solid State, 1 Form A (SPST-NO), Printed Circuit Board



chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts



TE Part # 1-2319263-1 OACM-U = SLIM PCB MOUNT,3A,60V DC-DC I/p

Customers Also Bought



TE Part #397892-000 RMW-16/5-1200/ADH-0	TE Part #1393212-2 T92S7A22-120	TE Part #7-1393114-1 KUHP-11A51-240=KU	TE Part #5-1419111-9 PT28800
			TE
TE Part #770583-1 16P MINI UMNL PLUG HSG	TE Part #42437-2 250 FASTON REC 14-10 AWG TPBR	TE Part #281792-3 PLUG HE14 IDC 180 2X3 P AWG 28-26	TE Part #1718295-1 COVER FOR 62 POS TAB HEADER ASSY



Documents

& For support call+1 800 522 6752

ODCM-5

Power Relays, Solid State, 1 Form A (SPST-NO), Printed Circuit Board



CAD Files Customer View Model ENG_CVM_CVM_5-1393028-1_C1.3d_igs.zip English Customer View Model ENG_CVM_CVM_5-1393028-1_C1.3d_stp.zip English Customer View Model ENG_CVM_CVM_5-1393028-1_C1.2d_dxf.zip English 3D PDF

Datasheets & Catalog Pages ODCM Slim Line DC Output Modules Data Sheet

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

English

ODCM_Datasheet

English

Agency Approvals

UL

English