

Potter & Brumfield | Potter & Brumfield SSR

TE Internal #: 5-1393030-0

Power Relays, Solid State, 1 Form A (SPST-NO), Chassis Mount,

Potter & Brumfield SSR

View on TE.com >



Relays, Contactors & Switches > Relays > Power Relays











Power Relay Type: Solid State

Contact Arrangement: 1 Form A (SPST-NO)
Relay Mounting Type: Chassis Mount

Features

Product Type Features

Output Type	AC
Power Relay Type	Solid State

Configuration Features

Output Switching Zero	

Electrical Characteristics

Output Voltage (Max)	660 V
Input Voltage Typical	90 – 280 VAC
Output Voltage Rating (AC Relays)	48 – 660 Vrms
Output Current Rating	.1 – 25 Arms
Input Voltage	90 – 280 VAC
Output Current (Min)	.1 A

Body Features

Product Weight	98 g[3.45 oz]
Case Color	Black

Contact Features

Switch Arrangement	1 Form A (SPST-NO)



Contact Arrangement	1 Form A (SPST-NO)
Termination Features	
Relay Termination Type	Screws
Mechanical Attachment	
Coupling	Optical
Relay Mounting Type	Chassis Mount
Housing Features	
Relay Housing Style	Hockey Puck
Dimensions	
Dimensions (L x W x H) (Approximate)	45 x 57.8 x 36.5 mm[1.772 x 2.276 x 1.437 in]
Usage Conditions	
Operating Temperature Range	-30 – 80 °C
Operation/Application	
R-Switch & slimSSR Relays	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part





numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | Potter & Brumfield SSR





Customers Also Bought



















TE Part #1443747-2

CABLE ASM MOD PLUG, SHIELDED

TE Part #8-1393131-9

PRDA-11DJA-48=PRD

Documents

CAD Files

Customer View Model

ENG_CVM_CVM_5-1393030-0_A1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5-1393030-0_A1.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_5-1393030-0_A1.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

SSR Hockey Puck Solid State Relay With Paired SCR Output

English

SSR_Datasheet

English

SSR, SSRD and SSRT Series

English

Agency Approvals

UL

English