TE Internal #: 5-1478762-3 Shielded, Two-Piece RFI/EMI Shield, Straight, Shell Size 3, 25 Position, Split-Ring Ferrule Termination

View on TE.com >



#### Connectors > Connector Accessories > Connector Backshells











Connector Backshell Product Style: Shielded

Connector Backshell Product Type: Two-Piece RFI/EMI Shield

Body Orientation: Straight

Compatible With Connector Shell Size: 3

Compatible With Connector Shell Size

Number of Positions: 25

### **Features**

### **Product Type Features**

| Connector Backshell Product Style | Shielded                   |
|-----------------------------------|----------------------------|
| Connector Backshell Product Type  | Two-Piece RFI/EMI Shield   |
| Termination Device Type           | Split-Ring Ferrule         |
| Configuration Features            |                            |
| Number of Positions               | 25                         |
| Body Features                     |                            |
| Cable Exit Angle                  | 180°                       |
| Housing Features                  |                            |
| Body Orientation                  | Straight                   |
| Compatible With Connector Shape   | D-Shaped                   |
| Usage Conditions                  |                            |
| Operating Temperature Range       | -55 – 105 °C[-67 – 221 °F] |
| Operation/Application             |                            |
|                                   |                            |

3



### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Compliant   |
|---|---|
| EU ELV Directive 2000/53/EC                   | Compliant with Exemptions   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold   |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per<br>homogenous material. Also BFR/CFR/PVC<br>Free                                 |
| Solder Process Capability                     | Not applicable for solder process capability  |

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



## Customers Also Bought

















TE Part #4-1617029-6 HFW1196S01 = HFW 1/2 SIZE RELA



### **Documents**

### **Product Drawings**

Metal backshell 25 way Top Ent

English

Metal backshell 25 way Top Ent

English

Metal backshell 25 way Top Ent

English

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_5-1478762-3\_G\_c-5-1478762-3-g.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_5-1478762-3\_G\_c-5-1478762-3-g.3d\_igs.zip

English

**Customer View Model** 

Shielded, Two-Piece RFI/EMI Shield, Straight, Shell Size 3, 25 Position, Split-Ring Ferrule Termination



## ENG\_CVM\_CVM\_5-1478762-3\_G\_c-5-1478762-3-g.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 

**Application Specification** 

English