

CGS | CGS 3522 TE Internal #: 5-2176231-3 1.5K Ω, Thick Film, Power Resistor, 1 %, 2 Termination, 2512, Taped & Reeled, 3 W, ±100 ppm/°C, Solder, 6.35 x 3.2 x .55 mm, CGS 3522 View on TE.com >



Passive Components > Resistors > Surface Mount Resistors > SMD Power Resistor: 3 Watt, 1% Tol



Resistor Type: Power Resistor Number of Terminations: 2 Package Size Code: 2512

Packaging Method: Taped & Reeled

Passive Component Tolerance: 1%

All SMD Power Resistor: 3 Watt, 1% Tol (140)

Features

Product Type Features

 Product Type
 Fixed Resistor

 Resistor Type
 Power Resistor

Package Size Code	2512
Element Type	Thick Film
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Passive Component Tolerance	1 %
Resistance Class	$1k\Omega - 1M\Omega$
Resistance Value	1.5Κ Ω
Power Rating	3 W
Termination Features	
Number of Terminations	2
Surface Mount Resistor Termination Type	Solder
Dimensions	
Passive Component Dimensions	6.35 x 3.2 x .55 mm
Usage Conditions	

C For support call+1 800 522 6752

35221K5FT

1.5K Ω, Thick Film, Power Resistor, 1 %, 2 Termination, 2512, Taped & Reeled, 3 W, ±100 ppm/°C, Solder, 6.35 x 3.2 x .55 mm, CGS 3522



Temperature Coefficient	±100 ppm/°C
Packaging Features	
Packaging Method	Taped & Reeled
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



35221K5FT

1.5K Ω, Thick Film, Power Resistor, 1 %, 2 Termination, 2512, Taped & Reeled, 3 W, ±100 ppm/°C, Solder, 6.35 x 3.2 x .55 mm, CGS 3522



Also in the SeriesCGS 3522Image: Constraint of the SeriesSurface Mount Resistors(211)

Customers Also Bought



TE Part #6-1393238-2	TE Part #1-1879214-9	TE Part #2-1879215-6	TE Part #7-1625868-3
RTD14012	CPF 0402 499R 0.1% 25PPM 1K RL	CPF 0402 7K32 0.1% 25PPM 1K RL	RP 2A 0.25W 30R1 0.1% 25PPM 1K RL



Documents

Product Drawings

3522 1K5 1% 3W

English

CAD Files

3D PDF

3D

35221K5FT

1.5K Ω, Thick Film, Power Resistor, 1 %, 2 Termination, 2512, Taped & Reeled, 3 W, ±100 ppm/°C, Solder, 6.35 x 3.2 x .55 mm, CGS 3522



Customer View Model

ENG_CVM_CVM_5-2176231-3_BA.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_5-2176231-3_BA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5-2176231-3_BA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the $\ensuremath{\mathsf{Terms}}$ and $\ensuremath{\mathsf{Conditions}}$ of use.

Datasheets & Catalog Pages SMD POWER RESISTORS - TYPE 3522 SERIES

English

Product Environmental Compliance Product Compliance

English

Product Compliance

English