5-228618-2 ACTIVE

COAXICON


TE Internal #: 5-228618-2

RF Contacts, Cable-to-Cable, 1 Position, Wire & Cable, Pin, Straight, RG 179B / RG 187A / RG 179A, Gold, 1 A, Power & Signal

View on TE.com >



Connectors > RF Connectors > RF Contacts



Connector System: Cable-to-Cable

Number of Positions: 1

Connector & Contact Terminates To: Wire & Cable

Contact Type: Pin

Contact Orientation: Straight

Features

Product Type Features

| Connector System | Cable-to-Cable |
|-----------------------------------|--|
| Connector & Contact Terminates To | Wire & Cable |
| Compatible With RF Cable Type | RG 179, RG 179A, RG 179B, RG 187, RG 187A |

Configuration Features

| Number of Positions 1 | |
|-----------------------|--|
|-----------------------|--|

Electrical Characteristics

| Impedance Options | Non-Matched |
|-------------------|-------------|
|-------------------|-------------|

Body Features

| Outer Shell Material | Brass |
|-------------------------------|--------|
| Outer Shell Plating Material | Gold |
| Outer Shell Plating Thickness | 30 μin |

Contact Features

| | 30 μin |
|--|------------------|
| RF Connector Center Contact Material | Beryllium Copper |
| Contact Type | Pin |
| Contact Orientation | Straight |
| RF Connector Center Contact Plating Material | Gold |
| Contact Mating Retention | Without |



| Contact Current Rating (Max) | 1 A |
|------------------------------|--|
| Mechanical Attachment | |
| Connector Mounting Type | Cable Mount (Free-Hanging) |
| Usage Conditions | |
| Operating Temperature Range | -55 – 125 °C[-67 – 257 °F] |
| Operation/Application | |
| Circuit Application | Power & Signal |
| Packaging Features | |
| Packaging Method | Carton |
| Other | |
| RF Connector Comment | Non-Impedance Matched and 50 Ohm are not intermatable. |
| Dielectric Material | PTFE |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant with Exemptions |
|---|--|
| EU ELV Directive 2000/53/EC | Compliant with Exemptions |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUN 2020 (209) SVHC > Threshold: Pb (4% in Contact/Component) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. |
| Halogen Content | Not Yet Reviewed for halogen content |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Customers Also Bought



Documents

Product Drawings

PIN, STRAIGHT, SIZE 8, AMPLIMITE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_5-228618-2_M.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_5-228618-2_M.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5-228618-2_M.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.