

5-87623-4 ✓ ACTIVE

AMPMODU | AMPMODU IV/V

TE Internal #: 5-87623-4

Connector Contact, Pin, Wire-to-Board, Gold, Reel, Printed Circuit Board, 3 A, Signal, Board Mount, -65 – 257 °F [-55 – 125 °C], AMPMODU IV/V

[View on TE.com >](#)



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Contacts



Contact Type: **Pin**

Connector System: **Wire-to-Board**

Contact Mating Area Plating Material: **Gold**

Packaging Method: **Reel**

Connector & Contact Terminates To: **Printed Circuit Board**

## Features

### Product Type Features

Connector System	Wire-to-Board
Connector & Contact Terminates To	Printed Circuit Board

### Electrical Characteristics

Dielectric Withstanding Voltage (Max)	750 V
---------------------------------------	-------

### Contact Features

Contact Mating Area Length	7.06 mm[.278 in]
Mating Square Post Dimension	.64 mm[.025 in]
	15 µin
PCB Contact Termination Area Plating Material Finish	Matte
Contact Shape & Form	Square
Contact Underplating Material	Nickel
PCB Contact Termination Area Plating Material	Tin
Contact Base Material	Phosphor Bronze
Contact Type	Pin
Contact Mating Area Plating Material	Gold
Contact Current Rating (Max)	3 A

### Termination Features

Square Termination Post & Tail Dimension	.64 mm[.025 in]
--	-----------------



### Mechanical Attachment

Wire Insulation Support	Without
Connector Mounting Type	Board Mount

### Usage Conditions

Operating Temperature Range	-55 – 125 °C[-65 – 257 °F]
-----------------------------	----------------------------

### Operation/Application

Circuit Application	Signal
---------------------	--------

### Packaging Features

Packaging Quantity	20000
Packaging Method	Reel

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Pin-in-Paste capable to 260°C












#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts




## Also in the Series | AMPMODU IV/V




## Customers Also Bought




TE Part #6632750001  
TMS-SCE-3/32-2.0-9




TE Part #1-1586019-0  
10P RCPT VAL-U-LOK V0



TE Part #1586019-2  
2P RCPT VAL-U-LOK V0




TE Part #1586040-4  
4P VAL-U-LOK VRT HDR W/P V0




TE Part #794958-2  
VAL-U-LOK SKT BR AU 22-26AWG



TE Part #3979470001  
RPS-8-4/2.0-9



TE Part #5052902015  
RNF-100-1/16-2-STK



TE Part #7132913001  
99M0111-20-0



TE Part #ZPF000000000015564  
DS 04-19 P 395



TE Part #1845630001  
RPS-6-250/2.0-9

## Documents

### Product Drawings

[MOD II POST PLTD 15 DPLX, ROHS](#)

English

### Datasheets & Catalog Pages

[AMPMODU\\_INTERCONNECTION\\_SYSTEM\\_SECTIONS](#)

English

### Product Specifications

[Application Specification](#)

English

[AMPMODU Mod I And II Posts](#)

English

[Application Specification](#)

Japanese

[AMPMODU Mod I And II Posts](#)

Japanese



## Application Specification

English