

STRATO-THERM

TE Internal #: 50840-1 Closed Ring Tongue Terminal, 14 AWG, #10 Stud Size, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Nickel, Partially Insulated, STRATO-THERM

View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 4234 CMA

Stud Size: **#10**

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal								
Stud Size	#10								
Sealable	No								
Wire Insulation Support Retention Type	Insulation Support								
Configuration Features									
Number of Holes	1								
Electrical Characteristics									
Voltage Rating	300 V								
Body Features									
Product Weight	1.209 g								
Contact Features									
Barrel Type	Closed								
Terminal Orientation	Straight								
Terminal Plating Material	Nickel								
Mechanical Attachment									



50840-1

Closed Ring Tongue Terminal, 14 AWG, #10 Stud Size, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Nickel, Partially Insulated, STRATO-THERM



Wire Insulation Support	With							
Dimensions								
Wire Size	4234 CMA							
Stud Diameter	5 mm[.197 in]							
Tongue Thickness	.79 mm[.031 in]							
Product Length	21.8 mm[.859 in]							
Compatible Insulation Diameter (Max)	3.81 mm[.15 in]							
Compatible Insulation Diameter Range	2.03 – 3.81 mm[.08 – .15 in]							
Usage Conditions								
Insulation Option	Partially Insulated							
Operating Temperature Range	288 °C[550 °F]							
Industry Standards								
Government Qualified Terminal	No							
Packaging Features								
Packaging Quantity	1000							

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these

50840-1

Closed Ring Tongue Terminal, 14 AWG, #10 Stud Size, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Nickel, Partially Insulated, STRATO-THERM



limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | STRATO-THERM



Crimp Wire Pins, Tabs & Ferrules(1)	Ring Terminals(93)	Splices(16)	


Customers Also Bought



50840-1

Closed Ring Tongue Terminal, 14 AWG, #10 Stud Size, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Nickel, Partially Insulated, STRATO-THERM





Documents

Product Drawings

TERMINAL, PIDG PTFE R 14 10

English

CAD Files 3D PDF

3D

Customer View Model ENG_CVM_CVM_50840-1_G.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_50840-1_G.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_50840-1_G.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Product Environmental Compliance TE Material Declaration

English