
5148414-5 - ACTIVE

EUROCARD | EUROCARD TYPE M

TE Internal #: 5148414-5 Eurocard Connectors, Plug, Board-to-Board, 24 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 3 Row, Right Angle, EUROCARD TYPE M

View on TE.com >

Connectors > PCB Connectors > Backplane Connectors > Eurocard Connectors



Connector & Housing Type: Plug Connector System: Board-to-Board Termination Post & Tail Length: 2.64 mm [.104 in] Number of Positions: 24 Centerline (Pitch): 2.54 mm [.1 in]

Features



Product Type Features

Connector & Housing Type	Plug
Connector System	Board-to-Board
Connector & Contact Terminates To	Printed Circuit Board
DIN Size	Half
DIN Level	II
Configuration Features	
Number of Power or Coaxial Positions	8
Number of Positions	24
Number of Rows	3
PCB Mount Orientation	Right Angle
Number of Columns	8
Number of Signal Positions	24
Rows Loaded	А, В, С
Body Features	

5148414-5

Eurocard Connectors, Plug, Board-to-Board, 24 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 3 Row, Right Angle, EUROCARD TYPE M



Primary Product Color	Gray
Contact Features	
Contact Type	Pin
PCB Contact Termination Area Plating Material	Tin
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	1.5 A
Termination Features	
Termination Method to Printed Circuit Board	Through Hole - Solder
Termination Post & Tail Length	2.64 mm[.104 in]
Mechanical Attachment	
Connector Mounting Type	Board Mount
Housing Features	
Housing Material	Polymer - GF
Centerline (Pitch)	2.54 mm[.1 in]
Dimensions	
Row-to-Row Spacing	2.54 mm[.1 in]
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Box
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023

(235)

C For support call+1 800 522 6752

5148414-5

Eurocard Connectors, Plug, Board-to-Board, 24 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 3 Row, Right Angle, EUROCARD TYPE M



Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Halogen Content

Solder Process Capability

Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | EUROCARD TYPE M




Customers Also Bought

5148414-5

Eurocard Connectors, Plug, Board-to-Board, 24 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 3 Row, Right Angle, EUROCARD TYPE M







Documents

Product Drawings ASSY, PIN, R.A., TYPE M, EUROCARD, L-FREE, 24+

English

CAD Files **Customer View Model** ENG_CVM_CVM_5148414-5_O.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_5148414-5_O.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5148414-5_O.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications Application Specification

English