

AMPLIMITE | AMPLIMITE Kit

TE Internal #: 5207872-1 D-Sub Locking & Mounting, Female Screwlock Assembly Kit, Screw Length 12.7 mm [.5 in], AMPLIMITE Kit

View on TE.com >



Connectors > D-Shaped Connectors > D-Sub Accessories > D-Sub Locking & Mounting



Connector Mounting Accessory Type: Female Screwlock Assembly Kit

Screw Length: 12.7 mm [.5 in]

Features

Product Type Features

Connector Mounting Accessory Type

Female Screwlock Assembly Kit

Mechanical Attachment

Screwlock StyleScrewlock with Lockwasher and Hex NutScrew MaterialCold Rolled SteelScrew FinishYellow ChromateThread SizeM3Screw Length12.7 mm[.5 in]DimensionsThread Length7.92 mm[.312 in]Packaging FeaturesPackaging Quantity1Packaging MethodBag, Kit	Screw Plating Material	Zinc
Screw FinishYellow ChromateThread SizeM3Screw Length12.7 mm[.5 in]Dimensions7.92 mm[.312 in]Packaging Features1	Screwlock Style	Screwlock with Lockwasher and Hex Nut
Thread SizeM3Screw Length12.7 mm[.5 in]Dimensions7.92 mm[.312 in]Thread Length7.92 mm[.312 in]Packaging Features1	Screw Material	Cold Rolled Steel
Screw Length12.7 mm[.5 in]Dimensions7.92 mm[.312 in]Thread Length7.92 mm[.312 in]Packaging Features1	Screw Finish	Yellow Chromate
Dimensions Thread Length 7.92 mm[.312 in] Packaging Features Packaging Quantity 1	Thread Size	M3
Thread Length7.92 mm[.312 in]Packaging Features1	Screw Length	12.7 mm[.5 in]
Packaging Features Packaging Quantity 1	Dimensions	
Packaging Quantity 1	Thread Length	7.92 mm[.312 in]
	Packaging Features	
Packaging Method Bag, Kit	Packaging Quantity	1
	Packaging Method	Bag, Kit

Product Compliance

For compliance documentation, visit the product page on TE.com>

5207872-1

D-Sub Locking & Mounting, Female Screwlock Assembly Kit, Screw Length 12.7 mm [. 5 in], AMPLIMITE Kit



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUN 2020 (209) SVHC > Threshold: Pb (.35% in Component part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | AMPLIMITE Kit


L For support call+1 800 522 6752

5207872-1

D-Sub Locking & Mounting, Female Screwlock Assembly Kit, Screw Length 12.7 mm [. 5 in], AMPLIMITE Kit







Customers Also Bought





Documents

5207872-1

D-Sub Locking & Mounting, Female Screwlock Assembly Kit, Screw Length 12.7 mm [. 5 in], AMPLIMITE Kit



Product Drawings

KIT SCREWLOCK FEMALE (METRIC)

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_5207872-1_O.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_5207872-1_O.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5207872-1_O.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

AMPLIMITE Subminiature D Connectors - Cable Connectors

English

AMPLIMITE Cable Connectors and Shielding Hardware Kits QRG

English

Product Environmental Compliance

TE Material Declaration

English

Instruction Sheets Instruction Sheet (U.S.)

English