

AMPLIMITE | AMPLIMITE Kit

TE Internal #: 5207953-2


D-Sub Locking & Mounting, Female Screwlocks, Screw Length

11.13 mm [.438 in], AMPLIMITE Kit

View on TE.com >




Connectors > D-Shaped Connectors > D-Sub Accessories > D-Sub Locking & Mounting











Connector Mounting Accessory Type: Female Screwlocks

Screw Length: 11.13 mm [.438 in]

Features

Product Type Features

Connector Mounting Accessory Type	Female Screwlocks
Mechanical Attachment	
Screw Plating Material	Zinc
Screwlock Style	Screwlock Only
Screw Material	Cold Rolled Steel
Screw Finish	Yellow Chromate
Thread Size	4-40 UNC
Screw Length	11.13 mm[.438 in]
Dimensions	
Thread Length	6.35 mm[.25 in]
Packaging Features	
Packaging Quantity	1
Packaging Method	Package

Product Compliance

For compliance documentation, visit the product page on TE.com>



EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (.35% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | AMPLIMITE Kit








Connector Strain Relief(30)



D-Sub Contact Accessories(1)




D-Sub Covers(3)



Customers Also Bought




TE Part #3-644486-0 Polyester Vertical PCB Header: 2.54 mm, Shrouded, MTA 100



TE Part #5205933-: BUSHING KIT



TE Part #1-102387-1 60 MODIV HSG COMP DR .100 POL



TE Part #1-87215-2 06 MODII HDR DRST UNSHRD .100







TE Part #YDTS20F13-35PNV001 RECP ASSY



Documents

Product Drawings
SCREWLOCK, ZN PLTD

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_5207953-2_O.2d_dxf.zip



English

Customer View Model

ENG_CVM_CVM_5207953-2_O.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5207953-2_O.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

AMPLIMITE Subminiature D Connectors - Cable Connectors

English

AMPLIMITE Cable Connectors and Shielding Hardware Kits QRG

English

Product Environmental Compliance

MD_5207953-2_08022018539_dmtec

English

MD_5207953-2_08022018539_dmtec

English