521204-6 - ACTIVE


RAST | RAST 5 IDC Connectors

TE Internal #: 521204-6 Housing, Receptacle, Cable-to-Board, 2 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Blue, Mating Retention, Wire & Cable, RAST 5 IDC Connectors

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings



Connector Product Type: Housing Connector & Housing Type: Receptacle Connector System: Cable-to-Board Number of Positions: 2 Centerline (Pitch): 5 mm [.197 in]

Features

Product Type Features

Connector Product Type	Housing			
Connector & Housing Type	Receptacle			
Connector System	Cable-to-Board			
Sealable	No			
Connector & Contact Terminates To	Wire & Cable			
Configuration Features				
Keying & Polarized Position Locations	1C, 2D			
Number of Positions	2			
Number of Rows	1			
Body Features				
Primary Product Color	Blue			
Contact Features				
Contact Type	Socket			

Housing, Receptacle, Cable-to-Board, 2 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Blue, Mating Retention, Wire & Cable, RAST 5 IDC Connectors



Termination Features

Termination Method to Wire & Cable	Crimp			
Mechanical Attachment				
Strain Relief	Without			
Panel Mount Feature	Without			
PCB Mount Retention	Without			
Mating Retention Type	Latch			
Mating Retention	With			
Connector Mounting Type	Cable Mount (Free-Hanging)			
Housing Features				
Housing Entry Configuration	Both Ends Closed			
Housing Material	Nylon 66/6			
Centerline (Pitch)	5 mm[.197 in]			
Dimensions				
Connector Length	9.2 mm[.362 in]			
Connector Height	12.2 mm[.48 in]			
Row-to-Row Spacing	5 mm[.197 in]			

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Circuit Application	Power
Industry Standards	
Glow Wire Rating	Standard Part - Not Glow Wire
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	1
Packaging Method	Package
Product Compliance	
For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant

Housing, Receptacle, Cable-to-Board, 2 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Blue, Mating Retention, Wire & Cable, RAST 5 IDC Connectors



China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

	TE		TI
TE Part # 521204-1	TE Part # 1217378-2	TE Part # 521295-1	TE Part # 2292457-2
POSI-LOK HSG.250-2 POS RAST5	RCPT 250POS-LOC 22-18 0126TPBR	HOUSING, POSITIVE LOCK, RAST	2P, RAST 5 HEADER, PL, SHROUDED
TE Part # 521204-5	TE Part # 521204-2	TE Part # 1-521204-1	TE Part # 1969371-2
HSG,POS LOC,MARKIII,250 SRS,2P	HSG RCPT POSI MK 111 250 2POS	RAST 5,HSG,2P,GWT POSILOCK MKI	HSG, RAST 5 POSITIVE LOCK, 4P 2C

Housing, Receptacle, Cable-to-Board, 2 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Blue, Mating Retention, Wire & Cable, RAST 5 IDC Connectors






Also in the Series | RAST 5 IDC Connectors


And a set of the set o	A Contraction of the second se		
Automotive Terminals(8)	Connector Contacts(12)	Crimp Terminal Housings(41)	Insertion & Extraction Tools(1)
		Contraction of the second seco	
PCB Headers & Receptacles(417)	Rectangular Connector Housings(1)	Standard Edge Connectors(34)	Standard Rectangular Connectors(68)

Housing, Receptacle, Cable-to-Board, 2 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Blue, Mating Retention, Wire & Cable, RAST 5 IDC Connectors





Customers Also Bought



CONNECTOR .125/.250 SERIES	5MM POWER KEY 3P PLUG HSG BLUE	PLMKII&FASTON 250 REC HSG 2P	SL156 RCPT, SPCL LUBE, LF
		NAT	

Documents

Product Drawings RAST 5,HSG,2P,POSILOCK MKIII

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_521204-6_AB.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_521204-6_AB.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_521204-6_AB.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

C For support call+1 800 522 6752

Housing, Receptacle, Cable-to-Board, 2 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Blue, Mating Retention, Wire & Cable, RAST 5 IDC Connectors



Product Environmental Compliance MD_521204-6_08082014246_dmtec

English

MD_521204-6_08082014246_dmtec

English