

Z-PACK | Z-PACK Future Bus+

TE Internal #: 5223513-1


Backplane Connector Housings, Board-to-Board, 24 Position, 4 Row, 6 Column, Housing for Male Terminals, Sealable, Z-PACK

Future Bus+

View on TE.com >




Connectors > PCB Connectors > Backplane Connectors > Backplane Connector Housings











Connector System: Board-to-Board

Number of Positions: 24
Centerline (Pitch): 2 mm
Row-to-Row Spacing: 2 mm

Number of Rows: 4

Features

Product Type Features

Connector System	Board-to-Board
Connector & Housing Type	Housing for Male Terminals
Sealable	Yes
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Number of Positions	24
Number of Rows	4
Number of Columns	6
Contact Features	
Contact Current Rating (Max)	1 A
Mechanical Attachment	
Connector Mounting Type	Board Mount

Housing Features



Centerline (Pitch)	2 mm
Dimensions	
Row-to-Row Spacing	2 mm
Usage Conditions	
Operating Temperature Range	-55 – 125 °C
Operation/Application	
Circuit Application	Signal

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Pin-in-Paste capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts






2MM FB,ASY,24,SIG,REC,SL,2.73



TE Part # 5536511-1 2MM FB,ASY,024,SIG,REC,EN,3.55




TE Part # 5536510-1 2MM FB,ASY,264,SIG,REC,SL,3.53





Also in the Series | Z-PACK Future Bus+







Customers Also Bought



TE Part #1888810-2 EMI/Dust Cover,XFP And QSFP



TE Part #2170088-1 ZSFP+ Connector,30u"



TE Part #2170288-1 1X4 CAGE ASSEMBLY, THRU BEZEL, QSFP



TE Part #2007637-8 SFP+ assy 2x2 Spring Fingers N



TE Part #2170790-1 CAGE ASSY, 1X4, QSFP28, SPRING, HS, LP



TE Part #2110570-1 SFP+ 1x4 Cage Assembly Square Light Pipe

TE Part #2170775-4 CAGE ASSY, 1X4, QSFP28, GASKET, HS, LP

TE Part #2149782-1 STRADA Whisper Guide Module



TE Part #2302014-1
ZSFP+ 1X8 CAGE ASSY, PRESS-FIT,
LP, HS



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_5223513-1_O.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_5223513-1_O.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5223513-1_O.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Product Specifications

Application Specification

English

Product Environmental Compliance

MD_5223513-1_04122016457_dmtec

English

MD_5223513-1_04122016457_dmtec

English

Agency Approvals

UL Report

English