


### PIDG

TE Internal #: 53402-1 Closed Ring Tongue Terminal, 26 AWG, M3.5 / #6 Stud Size, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Tin-Lead, PIDG View on TE.com >

Terminals & Splices > Ring Terminals > PIDG Radiation Resistant C Rings/Spades



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 202 – 509 CMA

Stud Size: #6, M3.5

All PIDG Radiation Resistant C Rings/Spades (39)

### Features

Product Type Features



Ring Terminal Product Type	Closed Ring Tongue Terminal					
Stud Size	#6, M3.5					
Sealable	No					
Wire Insulation Support Retention Type	Insulation Support					
Configuration Features						
Number of Holes	1					
Body Features						
Insulation Sleeve Color	Natural					
Stripe Color	Yellow					
Contact Features						
Military Part Class	Class I					
Barrel Type	Closed					
Terminal Orientation	Straight					
Terminal Plating Material	Tin-Lead					

Closed Ring Tongue Terminal, 26 AWG, M3.5 / #6 Stud Size, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Tin-Lead, PIDG



### **Mechanical Attachment**

Wire Insulation Support	With					
Dimensions						
Wire Size	202 – 509 CMA					
Stud Diameter	3.68 mm[.145 in]					
Tongue Thickness	.69 mm[.005 in]					
Product Length	20.12 mm[.792 in]					
Compatible Insulation Diameter (Max)	2.08 mm[.082 in]					
Compatible Insulation Diameter Range	.81 – 2.08 mm[.032 – .082 in]					
Usage Conditions						
Insulation Option	Partially Insulated					
Operating Temperature Range	150 °C[302 °F]					
Operation/Application						
Compatible With Wire Base Material	Copper					
Compatible With Wire Plating Material	Tin					
Industry Standards						
Government Qualified Terminal	Yes					

## Packaging Features

Packaging Quantity	1000						
Packaging Method	Loose Piece						
Product Compliance							
For compliance documentation, visit the product page on TE.com>							
EU RoHS Directive 2011/65/EU	Not Compliant						
EU ELV Directive 2000/53/EC	Compliant with Exemptions						
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold						
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023						
	(235)						
	Candidate List Declared Against: JUNE						
	2023 (235)						
	SVHC > Threshold:						
	Pb (13% in Component Part)						
	Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable						

handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Not Low Halogen - contains Br or Cl > 900

Closed Ring Tongue Terminal, 26 AWG, M3.5 / #6 Stud Size, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Tin-Lead, PIDG



ppm.


Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**






# Also in the Series | PIDG




Closed Ring Tongue Terminal, 26 AWG, M3.5 / #6 Stud Size, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Tin-Lead, PIDG





# Customers Also Bought



202D121-3/42-0	202F232-51/164-0	15 RCPT SP/MS STD	TERM, SOLIS, RT, 22-16, #6, 90 BEND
ETE	TE	TE	TE
TE Part #5-1437622-7 KN5700B1/4=KNOB BLACK PAIR 1/8	TE Part #7-1393114-3 KUHP-11DT1-24=KU	TE Part #201578-1 CONTACT PIN ASSY.	TE Part #E58363-000 WP-305047-10-9



# Documents

Closed Ring Tongue Terminal, 26 AWG, M3.5 / #6 Stud Size, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Tin-Lead, PIDG



Product Drawings TERMINAL,PIDG PVF2 R 26-24 6

English

**CAD** Files

3D PDF

English

Customer View Model

ENG\_CVM\_53402-1\_K1.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_53402-1\_K1.3d\_stp.zip

English

Customer View Model

ENG\_CVM\_53402-1\_K1.2d\_dxf.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages RADIATION\_RESISTANT\_PRE-INSULATED\_TERMINALS\_SPLICES

English

Product Specifications Application Specification

English

Product Environmental Compliance

**TE Material Declaration** 

English