
# 53411-1 - ACTIVE

### PIDG

TE Internal #: 53411-1 Closed Ring Tongue Terminal, 22 AWG, 5/16 / M8 Stud Size, 8.33 mm [.328 in] Stud Diameter, Closed Barrel, Straight, Tin-Lead, PIDG View on TE.com >

Terminals & Splices > Ring Terminals > PIDG Radiation Resistant C Rings/Spades



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 509 – 3260 CMA

Stud Size: 5/16, M8

All PIDG Radiation Resistant C Rings/Spades (39)

### Features

Product Type Features



Ring Terminal Product Type	Closed Ring Tongue Terminal	
Stud Size	5/16, M8	
Sealable	No	
Wire Insulation Support Retention Type	Insulation Support	
Configuration Features		
Number of Holes	1	
Body Features		
Insulation Sleeve Color	Natural	
Stripe Color	Red	
Contact Features		
Military Part Class	Class I	
Barrel Type	Closed	
Terminal Orientation	Straight	
Terminal Plating Material	Tin-Lead	

Closed Ring Tongue Terminal, 22 AWG, 5/16 / M8 Stud Size, 8.33 mm [.328 in] Stud Diameter, Closed Barrel, Straight, Tin-Lead, PIDG



### **Mechanical Attachment**

Wire Insulation Support	With
Dimensions	
Wire Size	509 – 3260 CMA
Stud Diameter	8.33 mm[.328 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	27.38 mm[1.078 in]
Compatible Insulation Diameter (Max)	3.18 mm[.125 in]
Compatible Insulation Diameter Range	2.03 – 3.18 mm[.08 – .125 in]
Usage Conditions	
Insulation Option	Partially Insulated
Operating Temperature Range	150 °C[302 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin
Industry Standards	
Government Qualified Terminal	Yes

### Packaging Features

Packaging Quantity	1000	
Packaging Method	Loose Piece	
Product Compliance For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Not Compliant	
EU ELV Directive 2000/53/EC	Not Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Pb (13% in Component Part) Atile Safe Usage Statements Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.	

Not Yet Reviewed for halogen content

Closed Ring Tongue Terminal, 22 AWG, 5/16 / M8 Stud Size, 8.33 mm [.328 in] Stud Diameter, Closed Barrel, Straight, Tin-Lead, PIDG




### Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**




Closed Ring Tongue Terminal, 22 AWG, 5/16 / M8 Stud Size, 8.33 mm [.328 in] Stud Diameter, Closed Barrel, Straight, Tin-Lead, PIDG





### Also in the Series | PIDG




Compression Connectors(17)	Crimp Terminal Housings(1)	Crimp Wire Pins, Tabs & Ferrules(41)	Hand Crimping Tools(2)
		and the second second	
Knife Disconnects(11)	PCB Terminals(7)	Quick Disconnects(49)	Ring Terminals(611)
Spade Terminals(233)	Special Purpose Terminals(1)	Splices(46)	

# Customers Also Bought

**C** For support call+1 800 522 6752

Closed Ring Tongue Terminal, 22 AWG, 5/16 / M8 Stud Size, 8.33 mm [.328 in] Stud Diameter, Closed Barrel, Straight, Tin-Lead, PIDG







TE Part #2-2407269-1 CAP, CPC, SIZE 13 RECP, ORANGE

### Documents

Product Drawings PIDG PVF2 22-16COM22-18MIL5/16

English

CAD Files Customer View Model ENG\_CVM\_53411-1\_K.3d\_igs.zip English Customer View Model ENG\_CVM\_53411-1\_K.3d\_stp.zip English Customer View Model ENG\_CVM\_53411-1\_K.2d\_dxf.zip English 3D PDF English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

**C** For support call+1 800 522 6752

Closed Ring Tongue Terminal, 22 AWG, 5/16 / M8 Stud Size, 8.33 mm [.328 in] Stud Diameter, Closed Barrel, Straight, Tin-Lead, PIDG



### RADIATION\_RESISTANT\_PRE-INSULATED\_TERMINALS\_SPLICES

English

**Product Specifications** Application Specification

English