

53434-1 ✓ ACTIVE

AMPOWER


TE Internal #: 53434-1

Knife Disconnects, Silver, 6.7 AWG Wire Size, 203 mm² Wire Size, 400 kcmil Wire Size, Box, Uninsulated, AMPOWER

[View on TE.com >](#)



Terminals & Splices > Knife Disconnects > AMPOWER Knife Disconnect



Body Plating Material: **Silver**

Wire Insulation Support: **Without**

Wire Size: **400 kcmil**

[All AMPOWER Knife Disconnect \(13\)](#)

Features

Product Type Features

Disconnect Type	Dual Pin Disconnect
-----------------	---------------------

Body Features

Body Plating Material	Silver
-----------------------	--------

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	400 kcmil
-----------	-----------

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Operation/Application

Power Conductor Stranding	1100/24
---------------------------	---------

Packaging Features

Packaging Quantity	5
Packaging Method	Box

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	<p>Current ECHA Candidate List: JUNE 2023 (235)</p> <p>Candidate List Declared Against: JUNE 2023 (235)</p> <p>SVHC > Threshold:</p> <p>Pb (3.7% in Component Part)</p> <p>Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.</p>
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 53853-2 AMPPOWER DISCONNECT PIN</p>	 <p>TE Part # 68332-1 HYP10 AMPPOWER 400MCM DIE SET</p>	 <p>TE Part # 53434-2 TERMINAL, QUICK DISCONNECT</p>
--	--	---


Also in the Series | AMPPOWER




Busbar Connectors(13)




Knife Disconnects(13)



PCB Headers & Receptacles(2)



Power Cable Assemblies(7)




Power Contacts(1)



Quick Disconnects(1)



Rectangular Power Connectors(6)



Spade Terminals(137)



Splices(38)

Customers Also Bought



TE Part #DT06-3S-E004
PLG, 3P, BLK, N



TE Part #DT04-3P-E004
REC, 3P, BLK, N




TE Part #35665
TERMINAL,SOLIS R 8 5/8



TE Part #66741-2
TYPE XII FEMALE CONT (L.P.)



TE Part #207360-1
PLUG HSG,3 POSN,METRIC



TE Part #61765-2
FASTON ADAPTER .250 REC TPBR



TE Part #5332225-5
PLUG, TWIN BNC,



TE Part #200277-4
BLOCK,50 POSN,M SERIES



Documents

Product Drawings

[AMPOWER QUICK DISC 400MCM](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_53434-1_R.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_53434-1_R.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_53434-1_R.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[AMPOWER Quick Disconnect Flyer](#)

English

Product Specifications

[AMPOWER Quick-Disconnect and Bolt-Disconnect Power Connectors for Traction Motor Leads](#)

English

[Product Specification](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English