




PLASTI-GRIP

TE Internal #: 53829-2
Spring Spade Terminal, 24 AWG, #4 / M2.5 Stud Size, 2.84 mm [.112 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PLASTI-GRIP

[View on TE.com >](#)

Terminals & Splices > Spade Terminals



Spade Terminal Type: **Spring Spade Terminal**
Wire Size: **320 – 1290 CMA**
Stud Size: **#4, M2.5**

Features

Product Type Features

Stud Size	#4, M2.5
Sealable	No
Wire Insulation Support Retention Type	Insulation Support

Electrical Characteristics

Voltage Rating	600 V
----------------	-------

Contact Features

Spade Terminal Type	Spring Spade Terminal
Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Wire Size	320 – 1290 CMA
Stud Diameter	2.84 mm[.112 in]



Tongue Thickness	.58 mm[.023 in]
Product Length	18.9 mm[.744 in]
Compatible Insulation Diameter (Max)	3.18 mm[.125 in]
Compatible Insulation Diameter Range	2.03 – 3.18 mm[.08 – .125 in]

Usage Conditions

Insulation Option	Partially Insulated
Operating Temperature Range	105 °C[221 °F]

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	5000
Packaging Method	Tape Mounted

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous



materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 567200-3
APPL,HDM,TAPE 9CB W/O DIES G

TE Part # 567200-2
APPL,HDM,TAPE 9 CB W/O DIES K

TE Part # 687658-1
APPL,HDM,TAPE 9 CB W/O DIES T

Also in the Series | PLASTI-GRIP

Compression Connectors(3)

Crimp Wire Pins, Tabs & Ferrules(25)

Ring Terminals(333)

Spade Terminals(198)

Splices(50)

Customers Also Bought

TE Part #3-6609128-5
6VM4S=F8103

TE Part #52924
TERMINAL,PIDG SPR SPD 26-22 6

TE Part #D5154-000005-015PD
PRESS XDCR D5154-000005-015PD

TE Part #1625856-2
RH73 2A 100M 10% 100PPM 1K RL



TE Part #132528-1
PG 16-14 FCH 3

TE Part #3-520404-2
ULTRA-FAST 187 ASY REC 16-14 AWG
TPBR

TE Part #3-111623-1
012 2MM CTR 30DP FT

TE Part #1-1393118-7
KUP-14D15-48=KU

TE Part #206501-1
RECEPT ASSY,26 POSN,AMPLIMITE

Documents

Product Drawings

TERMINAL,PG SPR SPD 24-20 4

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_53829-2_F.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_53829-2_F.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_53829-2_F.3d_stp.zip

English

3D PDF

English

Customer View Model

ENG_CVM_53829-2_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_53829-2_D.3d_igs.zip

English

Customer View Model

ENG_CVM_53829-2_D.3d_stp.zip

English



By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Product Environmental Compliance

TE Material Declaration

English