

SOLISTRAND

TE Internal #: 53836-1

Spring Spade Terminal, 12 – 10 AWG, #10 Stud Size, 4.17 mm [.164

in] Stud Diameter, Closed Barrel, Straight, Tin, Uninsulated

View on TE.com >



Terminals & Splices > Spade Terminals











Spade Terminal Type: Spring Spade Terminal

Wire Size: 5180 – 13100 CMA

Stud Size: #10

Features

Product Type Features

Stud Size	#10
Sealable	No
Wire Insulation Support Retention Type	Non-Insulation Support

Contact Features

Spade Terminal Type	Spring Spade Terminal
Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

Mechanical Attachment

Wire Insulation Support	Without
Dimensions	
Wire Size	5180 – 13100 CMA
Stud Diameter	4.17 mm[.164 in]

Tongue Thickness	.99 mm[.039 in]
Product Length	19.74 mm[.777 in]

Barrel Inside Diameter 3.28 mm[.129 in]



Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	170 °C[338 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin
Industry Standards	
Government Qualified Terminal	No
Packaging Features	

Loose Piece

Product Compliance

Packaging Method

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



Compatible Parts



TE Part # 58545-1 SOLISTRAND 10-22 DIE ASSY



REPRESENTATION ONLY TE Part # 49935 DAHT SOLIS 22-10 ASSY











Customers Also Bought



TE Part #206425-1 17-3 RECPT. REV SEX



TE Part #211398-1 Cable/Panel Mount Connector, CPC Series 1



TE Part #1-66107-1 III+ PIN,26-24,TIN,LP

















Documents

Product Drawings

SOLIS SPR SPADE 12-10 10

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_53836-1_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_53836-1_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_53836-1_D.3d_stp.zip

English

Customer View Model

ENG_CVM_53836-1_C.3d_igs.zip

English

Customer View Model

ENG_CVM_53836-1_C.3d_stp.zip

English

Customer View Model

ENG_CVM_53836-1_C.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Agency Approvals

UL Report

English