#### **SOLISTRAND**

TE Internal #: 55991-1

Uninsulated View on TE.com >

Closed Ring Tongue Terminal, 8 AWG, 5/16 / M8 Stud Size, 8.33 mm [.328 in / .327 in] Stud Diameter, Closed Barrel, Straight, Tin,



Terminals & Splices > Ring Terminals











Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 13100 – 20800 CMA

Stud Size: **5/16, M8** 

# **Features**

Product Type Features	
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	5/16, M8
Sealable	No
Wire Insulation Support Retention Type	Non-Insulation Support
Configuration Features	
Number of Holes	1
Contact Features	
Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin
Mechanical Attachment	
Wire Insulation Support	Without
Dimensions	

13100 - 20800 CMA

8.33 mm[.327 in][.328 in]

Wire Size

Stud Diameter



Tongue Thickness	1.22 mm[.048 in]	
Product Length	23.7 mm[.931 in]	
Barrel Inside Diameter	4.37 mm[.172 in]	
Usage Conditions		
Insulation Option	Uninsulated	

# Operation/Application

Operating Temperature Range

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

170 °C[338 °F]

## **Industry Standards**

Government Qualified Terminal	No
Covernition Cadimod Forthina	140

# **Packaging Features**

Packaging Quantity	100
Packaging Method	Loose Piece

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits



as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts
















HYP8 SOLIS 8AWG INDENTER











# Customers Also Bought



















## **Documents**

# **Product Drawings**

TERMINAL, SOLIS R 8 5/16

English

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_55991-1\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_55991-1\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_55991-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

# Agency Approvals

**UL Report** 

English