


### PIDG

TE Internal #: 6-1377174-4 PCB Terminals, Tab, Mating Tab Width .25 in [6.35 mm], Through Hole - Screw, Unplated Plating, Box, Terminates To Printed Circuit Board, PIDG

### View on TE.com >

Terminals & Splices > PCB Terminals



PCB Terminal Type: Tab Mating Tab Width: 6.35 mm [.25 in ]

Mating Tab Thickness: .81 mm [.032 in ]

Termination Method to Printed Circuit Board: Through Hole - Screw

Terminal Plating Material: Unplated

## Features



## Product Type Features

| Terminal Features                           | Stud Hole             |  |  |  |  |
|---|-----------------------|--|--|--|--|
| Contact Features                            |                       |  |  |  |  |
| PCB Terminal Type                           | Tab                   |  |  |  |  |
| Mating Tab Width                            | 6.35 mm[.25 in]       |  |  |  |  |
| Mating Tab Thickness                        | .81 mm[.032 in]       |  |  |  |  |
| Terminal Plating Material                   | Unplated              |  |  |  |  |
| Terminal Size                               | .25                   |  |  |  |  |
| Terminal Orientation                        | 45 Bend               |  |  |  |  |
| Termination Features                        |                       |  |  |  |  |
| Termination Method to Printed Circuit Board | Through Hole - Screw  |  |  |  |  |
| Product Terminates To                       | Printed Circuit Board |  |  |  |  |
| Dimensions                                  |                       |  |  |  |  |
| Stud Diameter                               | 5.2 mm                |  |  |  |  |

## 6-1377174-4

PCB Terminals, Tab, Mating Tab Width .25 in [6.35 mm], Through Hole - Screw, Unplated Plating, Box, Terminates To Printed Circuit Board, PIDG



### **Usage Conditions**

| Insulation Option           | Uninsulated    |  |  |  |
|-----------------------------|----------------|--|--|--|
| Operating Temperature Range | 170 °C[338 °F] |  |  |  |
| Packaging Features          |                |  |  |  |
| Packaging Quantity          | 50             |  |  |  |
| Packaging Method            | Box            |  |  |  |

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Compliant   |  |
|---|---|--|
| EU ELV Directive 2000/53/EC                   | Compliant   |  |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold   |  |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2023<br>(235)<br>Candidate List Declared Against: JUNE<br>2023 (235)<br>Does not contain REACH SVHC |  |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per<br>homogenous material. Also BFR/CFR/PVC<br>Free   |  |

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**

## 6-1377174-4

PCB Terminals, Tab, Mating Tab Width .25 in [6.35 mm], Through Hole - Screw, Unplated Plating, Box, Terminates To Printed Circuit Board, PIDG






# Also in the Series | PIDG



| ļ |                       |                  |                       |                     |
|---|-----------------------|------------------|-----------------------|---------------------|
|   |                       |                  |                       |                     |
|   | Knife Disconnects(11) | PCB Terminals(7) | Quick Disconnects(49) | Ring Terminals(611) |



# **Customers Also Bought**



## 6-1377174-4

PCB Terminals, Tab, Mating Tab Width .25 in [6.35 mm], Through Hole - Screw, Unplated Plating, Box, Terminates To Printed Circuit Board, PIDG







## Documents

Product Drawings SMP 0-0181948-1

English

CAD Files 3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_6-1377174-4\_C1.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_6-1377174-4\_C1.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_6-1377174-4\_C1.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages RADIATION\_RESISTANT\_PRE-INSULATED\_TERMINALS\_SPLICES

English

Product Specifications
Application Specification

English