TE Internal #: 6-1609966-4

3-Phase Filters, 3 A, .250" FASTON Input, .250" FASTON Output,

WYE (4 wire + ground), 520 VAC Continuous Operating Voltage


(Max), DIN Rail

View on TE.com >



EMI & EMC Solutions > EMI Filters > Power Line Filters > 3-Phase Filters











3-Phase Filter Current Rating: 3A

Input Termination Type: .250" FASTON

Output Termination Type: .250" FASTON

Wiring Configuration: WYE (4 wire + ground)

Continuous Operating Voltage (Max): 520 VAC

## **Features**

## Product Type Features

Filter Type	3-Phase Power Line
Filtering Requirements	Filtered
Input Termination Type	.250" FASTON
Output Termination Type	.250" FASTON

## **Configuration Features**

Wiring Configuration	WYE (4 wire + ground)
----------------------	-----------------------

### **Electrical Characteristics**

Leakage Current (Max) (230VAC, 50Hz)	3
3-Phase Filter Current Rating	3 A
Continuous Operating Voltage (Max)	520 VAC

## Mechanical Attachment

Product Mount Type	DIN Rail	
Troduct Would Type	Dir vitan	

## **Usage Conditions**

Operating Temperature Range -25 – 85 °C	Operating Temperature Range	-25 − 85 °C	
---	-----------------------------	-------------	--



## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**



# Customers Also Bought

08/21/2023 02:08AM | Page 2

3-Phase Filters, 3 A, .250" FASTON Input, .250" FASTON Output, WYE (4 wire + ground), 520 VAC Continuous Operating Voltage (Max), DIN Rail















## **Documents**

## **Product Drawings**

KES 3A 1S SPADE WYE 520VAC

English

## **CAD Files**

**Customer View Model** 

ENG\_CVM\_6-1609966-4\_B.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_6-1609966-4\_B.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_6-1609966-4\_B.2d\_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

Catalogue - Corcom 3-Phase-Emi-Filter

English

**KES SERIES** 

English